


MT. CON

35  
—  
41

VOL  
7

P  
27



For a Duplicate of This  
Book Give the Following



No. 7-7257

PHONE 4531

**Bessette Printing Co., Inc.**

Printers and Blank Book Manufacturers

21 E. Quartz St.

BUTTE, MONT.

357

358

359

290

292

294

296

298

300  
320

320

19

9

318

8

8

7

7

316

16

6

5

5

314

14

4

13

3

312

12

52

BLANK

MT. CON  
3500  
20  
CON 3500  
27  
MT. CON  
27  
KELLEY

V. 27



377 378 379 380 381 382 383 384 385 386 387 388

320  
319  
318  
317  
316  
315  
314  
313  
312

BLANK

MT. CON  
27  
3500  
CON 3500  
27  
MT. CON  
27  
KELLEY

320<sup>366</sup> 367 368 369 370 371 372 373 374 375 376 377

319

318

317

316


315

314

313

312

YMAA 15



Mt. CON SH.

A3600R

3512  
1 PL.

37  
3000R

MT. CON 3500-13

10  
9  
8  
7  
6  
5  
4  
3  
2  
1

MT. CON 3500  
CON 3500  
MT. CON  
KELLEY





289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357

356

355

354

353

352

MT. CON SHAFT  
A3500  
A3500 P2



B3500  
B3500



3518 R



3519 R



3520 R



3514 R



Mt Con 3500-12

D-27

Mt. Con 27 3500  
20 CON 3500  
27 Mt. Con  
27 KELLEY

278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355


354

353

352

P-27

359



358

357



356

355

354

353

352



Mt Con

3500-11

27 M  
 3500  
 20 CON 3500  
 27 M  
 CON  
 27 KELLEY

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT CON-SHAFT

3500 R  
3500 R

359

358

357

356

355

354

353

352

3577 R

3527 R

3527 R

3527 R

3527 R

3500 R

3500 R

Mt Con

3500-10

27 MT CON 3500 CON 3500 27 MT CON 27 KELLEY

278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356

355

354

353

352

P-27

289 290 291 292 293 294 295 296 297 298 299 300  
360

MT CON SHAFT



A3505A

359

358

357

356

355

354

353


352

A3505A



A3505A

A3505A



A3505A

A3505A



A3505A

Mt Con

3500-9

Mt. Con 27  
3500  
20  
COM 3500  
27  
Mt. Con

27 KELLEY



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												



278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355

354

353

352

P-27


289 290 291 292 293 294 295 296 297 298 299 300  
360



MT CON SHAFT



352000



359

358

357

356

355

354

353

352

352000



Mt Con

3500-7

D-27

MT CON 3500 27 MT CON 27 KELLEY

278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355

354

353

352

288 289 290 291 292 293 294 295 296 297 298 299 300


360  
359  
358  
357  
356  
355  
354  
353  
352



MT CON SHAFT



ASACOR



ASACOR  
SHP



MT CON

ASACOR

3500-6  
3600-24

Mt. Con 27  
3500  
27  
Mt. Con  
27  
KELLEY

278

279

280

281

282

283

284

360

359

358

357

356

355

354


353

352

P-27

MT CON SHAFT

Bassee




359  
358  
357  
356  
355  
354  
353  
352

P-27  
MT. CON  
3500  
CONV. 3500  
P-27  
MT. CON  
3500  
KELLEY

Bassee

Bassee



MT CON

3500-5  
360-23



278

279

280

281

282

283

284

285

286

287

288

289

350

359

358

357

356

355

354


353

352


P-27


289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



 MT CON SHAFT

 3500 R



 3500 R

 3500 R

  MT CON


3500-4  
3600-12

27  
MT CON  
3500  
27  
MT CON  
27  
KELLEY



MT CON SHAFT

Asseco



359

358

357

356

355

354

353

352

Asseco



MT CON

3500-3  
3600-21

P-27

M  
27  
3500  
20  
CON 3500  
27  
MT CON  
27  
KELLEY

278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355

354

353

352


P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

MT CON SHAFT

ASSOC.



E3609R

ASSOC.

37 3600 K



ASSOC.



MT CON

3500-2  
3600-30

P-27

Mt. Con 27  
3500  
27  
M. C. CON  
27  
KELLEY

278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355

354

353


352

289 290 291 292 293 294 295 296 297 298 299 300 360

359  
358  
357  
356  
355  
354  
353  
352

MT CON SHAFT

A3360R



B322R



B322R



MT CON

3500-1  
3 500 - 19

D-27

MT CON  
3500  
CONV 3500  
27  
MT CON  
3500  
27  
KELLEY



278 279 280 281 282 283 284 285 286 287 288 289

356

358

357


356

355

354

353

352



MOUNTAIN CON 3500 SILL

P-27

289 290 291 292 293 294 295 296 297 298 299 300  
360

359

358

357

356

355

354

353

352

3584  
MT. CON  
SHAFT  
EL. 2694.66

A35602

E3609R

3501

3502 3502

A3555

B3520C

3517

3517

3517

B3580C

E35410

A3554B

B3552A  
B3572  
B3567  
B3561R


A3559G  
AIR R.  
C3671R

3572

MT  
P-27  
Mt. Con  
3500  
MT. CON 3900  
27  
MT. CON  
27  
MT. CON 4100  
27  
KELLEY

P-27  
MT. CON  
3500

P-27




MOUNTAIN CON 3600-17

MT CON 3800  
 P. 27  
 CON 3900  
 P. 27  
 MT CON 3600  
 P. 27  
 MT CON 4100  
 P. 27  
 KELLEY  
 30111

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												


MT CON  
P27  
3500



MT CON 3800  
 P-27  
 CON 3900  
 D-27  
 MT CON  
 3600  
 MT CON 4100  
 KELLEY  
 3000

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON P27  
3500



MOUNTAIN CON 3600-15

MT CON 3800  
 P. 27  
 CON 3900  
 P. 27  
 MT CON  
 P. 3000  
 MT CON 4100  
 P. 27  
 KELLEY  
 3000



278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356


355

354

353

352

MT. CON  
3500  
P27



MOUNTAIN CON 3600-14

MT CON 3800  
 P-27  
 CON 3900  
 P-27  
 MT CON  
 P 3600  
 MT CON 4100  
 P-27  
 KELLEY  
 3000

350	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

P27  
MT. CON  
3500

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

E3671R

E3671R

E3663R  
E3663R

E3663R  
E3663R

E3663R  
E3671R  
E3671R  
D3621R

E3663R

E3671R  
E3671R  
E3671R

E3663R



MOUNTAIN CON 3600-13

Mt Con 3800 P-27  
CON 3900 P-27  
Mt Con 3600 P-27  
Mt Con 4100 P-27  
KELLEY 3000 P-27



289 290 291 292 293 294 295 296 297 298 299 300


360  
359  
358  
357  
356  
355  
354  
353  
352



MOUNTAIN CON 3600-12

MT CON 3800  
P-27  
CON 3900  
P-27  
MT CON  
3600  
MT CON 4100  
KELLEY  
3000






MOUNTAIN CON 3600-11

MT CON 3800  
 P-27  
 CON 3900  
 P-27  
 MT CON  
 3600  
 P-27  
 MT CON 4100  
 P-27  
 KELLEY  
 3000



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												


MT. CON  
3500  
P27




MOUNTAIN CON 3600-10

MT CON 3800  
 P-27  
 CON 3900  
 P-27  
 MT CON  
 P-3600  
 MT CON 4100  
 P-27  
 KELLEY  
 3000

MT. CON  
3500  
P27





MOUNTAIN CON 3600-9

MT CON 3800  
 P. 27  
 CON 3900  
 P. 27  
 MT CON  
 P. 3600  
 CON  
 MT CON 4100  
 P. 27  
 KELLEY  
 3000



289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357



356

355

354

353


352




MOUNTAIN CON 3600-8

MT CON 3800  
 P. 27  
 CON 3900  
 P. 27  
 MT CON  
 P. 3600  
 MT CON 4100  
 P. 27  
 KELLEY  
 3000

MT. CON  
3500  
P27





MOUNTAIN CON 3600-7

MT CON 3800  
 P. 27  
 CON 3900  
 P. 27  
 MT CON  
 P. 3600  
 MT CON 4100  
 P. 27  
 KELLEY  
 3000



278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356

355

354

353

352

MT. CON  
P27  
3500

15

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

FFFFR

A3047R

E3637R

E3658R

E3663R  
D3621R

3600R  
D3650R


3601R

MOUNTAIN CON 3600-G

MT CON 3800  
P. 27  
CON 3900  
P. 27  
MT CON  
3600  
P. 27  
MT CON 4100  
P. 27  
KELLEY  
3000

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												


MT. CON  
3500  
P27



MOUNTAIN CON 3600-5

MT CON 3800  
 P. 27  
 CON 3900  
 P. 27  
 MT CON  
 3600  
 P. 27  
 MT CON 4100  
 P. 27  
 KELLEY  
 3000






MOUNTAIN CON 3600-4

MT CON 3800 CON 3900  
 P. 27  
 MT CON 3600  
 P. 27  
 MT CON 4100  
 P. 27  
 KELLEY 3000

350	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P27




MOUNTAIN CON 3600-3

Mt Con 3800  
 P. 27  
 Mt. Con  
 P. 3600  
 Mt. Con 4100  
 P. 27  
 KELLEY  
 3000







MOUNTAIN CON 3600-2

MT CON 3800  
 P-21  
 CON 3900  
 P-27  
 MT CON  
 3600  
 MT CON 4100  
 P-27  
 KELLEY  
 3000

278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356


355

354

353

352

MT. CON  
P27  
3500



MOUNTAIN CON 3600-1

MT CON 3800  
 P-27  
 CON 3900  
 P-27  
 MT CON  
 3600  
 P-27  
 MT CON 4100  
 P-27  
 KELLEY  
 3000

278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356


355

354

353

352

MT. CON  
3500  
P27



MT. CON 3600 SILL



278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355

353

352

P-27  
MT. CON  
3500

P-27  
MT. CON  
3600

289	290	291	292	293	294	295	296	297	298	299	300	350
												359
												358
												357
												356
												355
												354
												353
												352


 D-2788 P-27  
 7/11

MT CON 3800  
 P-27  
 CON 3900  
 P-27  
 27  
 MT CON  
 4000  
 MT CON  
 MT CON 4100  
 27  
 KELLEY  
 3000



278 279 280 281 282 283 284 285 286 287 288 289

350

359

358

357

356

355

354

353

352

P 27  
MT. CON  
3500

P 27  
MT. CON  
3600

0.9  
Co

0.8  
A

289 290 291 292 293 294 295 296 297 298 299 300

367  
359  
358  
357  
356  
355  
354  
353  
352

FFFFF

3

AGBAGC  
3  
3

D38013W

3800-16

MOUNTAIN CON 3800-16

MT CON 3800 P-27  
CON 3900 P-27  
4000 MT CON  
MT CON 4100  
KELLEY 2000

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P 27

MT. CON  
3600  
P 27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

11111

111

11111  
111

11111

11111

MOUNTAIN CON 3800-15

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
4100  
KELLEY  
2000

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

FFFF

5

ASBOK

3312 E

3352 E

MOUNTAIN CON 3800-14

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
4100  
KELLEY  
2000



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												


MT. CON  
P 27  
3500

MT. CON  
P 27  
3600

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

PPPR  
21



D38804

C38804

MOUNTAIN CON 3800-13

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
4100  
P-27  
KELLEY  
2000



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

FFFFF

ADDRESS

ADDRESS

ADDRESS

ADDRESS

MOUNTAIN CON 3800-12

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
4100  
KELLEY  
2000

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357

356

355

354

353

352

FFFF

FF

ADDER

ADDER

ADDER

ADDER

MOUNTAIN CON 3800-II

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON

MT CON 4100

P-27  
KELLEY  
3000

360	278	279	280	281	282	283	284	285	285	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357


356

355

354

353

352



MOUNTAIN CON 3800-10

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
MT CON 4100  
P-27  
KELLEY  
3000

278 279 280 281 282 283 284 285 286 287 288 289

360

358

357

356

355

354

353

352

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



ASBSE



ASBSE



D3813R

ASBSE

MOUNTAIN CON 3800-8

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
MT CON 4100  
KELLEY  
3000



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

288 290 292 294 296 298 300

360  
358  
356  
354  
352



33000



33000

El. 2500-25  
D3817T D3818T D3819 R

D3807R

D3855R

MOUNTAIN CON 3800-8

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
4100  
P-27  
KELLEY  
3000

278	280	282	284	286	288	289
360						
358						
356						
354						
352						

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 292 294 296 298 300

360



A3858R

358

356

354



A3858R

352


MOUNTAIN CON 3800-7

MT CON 3800 P-27  
CON 3900 P-27  
4000 MT CON  
4100 MT CON  
4200 KELLEY  
3000

360	278	280	282	284	286	288	289
358							
356							
354							
352							

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27



MOUNTAIN CON 3800-G

MT Con 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
MT CON 4100  
P-27  
KELLEY  
3000

278	280	282	284	286	288	289
350						
358						
356						
354						
352						

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 292 294 296 298 300

360  
358  
356  
354  
352

Y1111

A2858

A3806  
E12

A3812

A3180

D3807 R

A3858

MOUNTAIN CON 3800-5


MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
MT CON 4100  
P-27  
KELLEY  
3000



278	280	282	284	286	288	289
360						
358						
356						
354						
352						

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27



MOUNTAIN CON 3800-4 352

MT CON 3800  
 P-27  
 CON 3900  
 P-27  
 4000  
 MT CON  
 P-27  
 KELLEY  
 3000

278

280

282

284

286

288

289

350

358

356

354

352

P-27  
MT. CON  
3500


P-27  
MT. CON  
3600

289 290 292 294 296 298 300



360  
358  
356  
354  
352



23 138500



23 138500



MOUNTAIN CON 3800-3

MT CON 3800  
P-27  
CON 3900  
P-27  
4000  
MT CON  
MT CON 4100  
P-27  
KELLEY  
3000


278 360	280	282	284	286	288	289
358						
356						
354						
352						

P-27  
Mt. Con  
3500

P-27  
Mt. Con  
3600

289 290 292 294 296 298 300


360



358



356




A3850 E

354



C3850 E



D3813 E

D3832 E

D3810 E

C38072

C3855 E

52

MOUNTAIN CON 3800-2

Mt Con 3800  
P-27  
Mt Con 3900  
P-27  
4000  
Mt Con  
27  
Mt Con 4100  
27  
KELLEY  
5000

278

280

282

284

286

288

289

350

358

356

354




352

MT. CON  
3500  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



MOUNTAIN CON 3800-1

MT CON 3800 P-27  
CON 3900 P-27  
4000 P-27  
MT CON  
MT CON 4100 P-27  
KELLEY 30MM



278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356

355


354

353

352

P-27  
MT. CON  
3500

P-27  
MT. CON  
3600




A3620

MT CON

3800-SILL

289 290 291 292 293 294 295 296 297 298 299 300

359  
358  
357  
356  
355  
354  
353  
352



Mountain Cor. 3800 Sill.

MT CON 3800  
P-27  
4000  
NELLEY

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

35800

35800

35100

35100

35000

35000

35000

35000

35000

35000

35000

35000

35000

35000

35000


MOUNTAIN CON 3900-17

MT. CON 3900  
P-27  
4000  
MT. CON  
MT. CON 4100  
KELLEY  
3900

359	278	279	280	281	282	283	284	285	286	287	288	289
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27



MT. CON 3900  
 P-27  
 4000  
 MT. CON  
 MT. CON 4100  
 P-27  
 KELLEY  
 3900

357	276	279	280	281	282	283	284	285	286	287	288	289
355												
358												
35												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27






278 279 280 281 282 283 284 285 286 287 288 289

360											
359											
358											
357											
356											
355											
354											
353											
352											

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27



M. Con Water  
To High Ore


dry  
hole  
at  
top of  
sill

MOUNTAIN CON  
HIGH ORE  
KELLEY

3900-14  
3800 SILL  
3700-11

P-27

MT CON 3900  
 P-27  
 4000  
 MT. CON  
 MT CON 4100  
 P-27  
 KELLEY  
 3900



MT. CON. 3800  
P-27

MT. CON. P-27  
3600

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357

356

355

354

353

352

PPPP

HI

39100  
GGG

39200  
GGG

39300  
GGG

39400  
GGG

39500  
GGG

39600  
GGG

39700  
GGG

39800  
GGG

MOUNTAIN CON 3900-13  
KELLEY 3/16 -16

P-27

MT CON 3900  
P-27  
4000  
MT. CON  
P-27  
MT CON 4100  
P-27  
KELLEY  
3900

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-23

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357




356

355

354

353

352



MOUNTAIN CON 3900-12  
KELLEY 3900-9

P-27

MT CON 3900  
 P-27  
 4000  
 Mt. CON  
 P-27  
 MT CON 4100  
 P-27  
 KELLEY  
 3900





360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



MOUNTAIN CON 3900-11  
KELLEY 3900-3

P-27

MT. CON 3900  
P-27  
4000  
Mt. CON  
MT. CON 4100  
P-27  
KELLEY  
3900



278	279	280	281	282	283	284	285	286	287	288	289
360											
359											
358											
357											
356											
355											
354											
353											
352											

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357

356

355

354

353

352



ADDRESS




30106




ADDRESS

AA (C) (C) (C)



ADDRESS

BB (C) (C) (C)




D2384A

D2384B

D2384C

D2384D



30512



ADDRESS

MT. CON 3900  
P-27  
4000  
MT. CON  
MT. CON 4100  
P-27  
KELLEY  
3900

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-23


289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



A3082E

PIVOT 23742  
ON 2400




A3042E

A3072E

30512

E30012



D3584W

D3502E

D3555E

D35612

MOUNTAIN CON 3900-9  
KELLEY 3766-4

MT CON 3900  
P-27  
4000  
Mt. CON  
P-27  
KELLEY  
3900

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27


MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300


360  
359  
358  
357  
356  
355  
354  
353  
352




A2082R



A300C



A3082R



A3072R



E3001R



D3955R



D3984R



D3982R



D3981R

MOUNTAIN CON. 3900-8  
KELLEY 3900-5

P-27

MT. CON 3900  
P-27  
4000  
MT. CON  
P-27  
KELLEY  
3900

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300


360  
359  
358  
357  
356  
355  
354  
353  
352



330000



33000



33512



33000



33000



33017



D33052



D33012



D33012



D33027

MT. CON  
KELLEY

3900-7  
3900-4

P-27

MT. CON 3900  
P-27  
4000  
MT. CON  
MT. CON 4100  
P-27  
KELLEY  
3900



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON. 3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



A3502R



3500



A3502R


A3502R



E3501R



D3502R



D3502R



D3502R



D3502R

MOUNTAIN CON  
KELLEY  
3900-6  
3700-5

P-27

MT COM 3900  
P-27  
4000  
MT CON  
MT CON 4100  
P-27  
KELLEY  
3900

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27

MT. CON. P-27  
3600

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

A3082R

A3082R

3081R  
A3082R

A3082R

A3082R

E3901R  
3902R

D3954R  
D3955R

D3954R  
D3955R  
D3956R  
D3957R

3081R

MOUNTAIN CON 3900-5  
KELLEY 3900-2  
D-27

MT CON 3900  
P-27  
4000  
MT CON  
MT CON 4100  
P-27  
KELLEY  
3900

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3800  
P-27




MT. CON. 3600  
P-27

289 290 291 292 293 294 295 296 297 298 299 300



360  
359  
358  
357  
356  
355  
354  
353  
352

D30700

A30622



E3901 P



MOUNTAIN CON 3900-4  
KELLEY 3900-1


P27

MT. CON 3900  
P-27  
4000  
MT. CON  
P-27  
KELLEY  
3900

278	279	280	281	282	283	284	285	286	287	288	289
360											
359											
358											
357											
356											
355											
354											
353											
352											

MT. CON. 3800  
P-27

MT. CON. 3600  
P-27



MOUNTAIN CON 3900-3  
 KELLEY 3900 SILL

P-27

MT CON 3900  
 P-27  
 4000  
 MT CON  
 MT CON 4100  
 P-27  
 KELLEY  
 3900



278 279 280 281 282 283 284 285 286 287 288 289

360											
359											
358											
357											
356											
355											
354											
353											
352											

MT. CON. 3800  
P-27

MT. CON  
3600  
P-27

KELLEY  
3900  
P-27

MOUNTAIN CON 3900-2



278 279 280 281 282 283 284 285 286 287 288 289

350

359

358

357

356

355

354

353

352

MOUNTAIN CON 3900-1

MT. CON 3800  
P-27

MT. CON  
3600  
P-27

KELLEY  
3900  
P-27

290

291

292

293

294

295

296

297

298

299

300

360

359

358

357

356

355

354

353

352

D3952R

D3952R

D3952R

A3952R

3910R  
3910R

A3952R

A3952R

D3952R

D3952R

E3952R

D3952R

D3952R

3961R

MT CON

3900-1

P-27

MT CON 3900  
P-27  
4000  
MT CON

MT CON 4100

278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356

355

354

353

352

MT. CON 3800  
P-27

MT. CON 3600  
P-27

KELLEY 3900  
P-27

3800  
3600  
3900

P-27

MOUNTAIN CON 3900 SILL



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON  
3600 P-27

KELLEY  
3900 P-27

289 290 291 292 293 294 295 296 297 298 299 300 350

359

358

357

356

355

354

353

352

29000

29000

• 29000

4000R  
29000

4000R  
29000

4000R  
29000

4000R

4000R  
29000

29000

29000

29000  
29000

29000


MOUNTAIN CON 4000 - 16

4000  
MT. CON

4000  
MT. CON







MOUNTAIN CON 4000 - 15

P-27  
MT. CON  
4000


MT. CON 4100

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON 3600

KELLEY 3900



MOUNTAIN CON 4000 - 14

4000  
MT. CON

MT. CON 4100



289 290 291 292 293 294 295 296 297 298 299 300

350

359

358

357

356

355



354

353

352

20000  
A4023 E

• C4023



B4027 E

MOUNTAIN CON 4000 - 13

4000  
MT CON

MT CON 4100




289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

24200  
A4023 R

24200



MOUNTAIN CON 4000 - 12

4000  
MT CON

MT CON 4100



360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON  
3600 P-27




KELLEY  
3900

289 290 291 292 293 294 295 296 297 298 299 300

350  
359  
358  
357  
356  
355  
354  
353  
352

2900  
A4013R

• 29114



MOUNTAIN CON 4000 - 11

P-27  
4000  
MT. CON

MT. CON 4100

360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3900 MT. CON. 3800  
P-27 P-27



KELLEY  
3900

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

24229  
24230  
24231  
24232  
24233  
24234  
24235  
24236  
24237  
24238  
24239  
24240  
24241  
24242  
24243  
24244  
24245  
24246  
24247  
24248  
24249  
24250  
24251  
24252  
24253  
24254  
24255  
24256  
24257  
24258  
24259  
24260  
24261  
24262  
24263  
24264  
24265  
24266  
24267  
24268  
24269  
24270  
24271  
24272  
24273  
24274  
24275  
24276  
24277  
24278  
24279  
24280  
24281  
24282  
24283  
24284  
24285  
24286  
24287  
24288  
24289  
24290  
24291  
24292  
24293  
24294  
24295  
24296  
24297  
24298  
24299  
24300


24229



MOUNTAIN CON 4000 - 10

P-27  
4000  
MT. CON

MOUNTAIN CON 4000



MOUNTAIN CON 4000-8

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON  
3600  
P-27



KELLEY  
3900  
276

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



• Camp




MOUNTAIN CON 4000 - 9

P-27  
4000  
MT. CON  
MOUNTAIN CON 4100

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

KELLEY  
3900



CARTEL  
4000



MOUNTAIN CON 4000-8

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



0 0.5 x 0.4




MOUNTAIN CON 4000 - 8

P-27  
4000  
MT. CON

P-27  
4000  
MT. CON



MT. CON. 3900 P-27  
MT. CON. 3800 P-27  
KELLEY 3900




ACROSS  
4

ACROSS

MOUNTAIN CON 4000-7



289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352



• C 220112

40000



MOUNTAIN CON 4000 - 7


P-27  
4000  
MT. CON

P-27  
4000  
MT. CON

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON  
3600

KELLEY  
3900  
276







AGOUR  
S100  
#

PHOTO

MOUNTAIN CON 4000-6

289 290 291 292 293 294 295 296 297 298 299 300


360  
359  
358  
357  
356  
355  
354  
353  
352



MOUNTAIN CON 4000 - 6

P-27  
4000  
MT. CON

MT. CON 4100



MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON  
3600

KELLEY  
3900



278 279 280 281 282 283 284 285 286 287 288 289

360

359

358

357

356

355

354

353

352

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON  
3600  
P-27

KELLEY  
3900  
P-27

MOUNTAIN CON 4000 - 4

ACCR  
1967

ACCR  
1967

289 290 291 292 293 294 295 296 297 298 299 300 300

359

358

357



356

355

354

353

352



P-27  
4000  
MT. CON

P-27  
4000  
MT. CON



278 279 280 281 282 283 284 285 286 287 288 289

359

358

357

356

355

354

353

352

MT. CON. 3900 MT. CON. 3800  
P-27 P-27

MT. CON. 3600  
P-27

KELLEY  
3900

4000  
4000

4000

289 290 291 292 293 294 295 296 297 298 299 300

359  
358  
357  
356  
355  
354  
353  
352

70052  
Cable  
A0022R  
A0023R  
Cable #2  
Cable #10 METZ-3000  
A0024R

D-4011R

D-4072R

4010R  
Pine Seal  
4055R  
4062R  
4051R  
4081  
4052R  
4053R


4087R  
B-4087R

4055R  
4056R

MOUNTAIN CON 4000-3

P-27  
4000  
MT. CON

MT. CON 4100



MT. CON. 3900 MT. CON. 3800  
P-27  
P-27  
MT. CON. 3600

KELLEY  
3900  
P-27

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357


356

355

354

353

352




MOUNTAIN CON 4000-2

P-27

P-27  
4000  
MT. CON

MT. CON 4100



MT. CON. 3900 MT. CON. 3800  
P-27 P-27

KELLEY  
3900  
P-27

P-27

MOUNTAIN CON 4000 - 1

4000R

4000R

4010R

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357

356

355

354

353

352

A0000  
CABWAY



A0000

A0000

A0000

D0011

D0070



MOUNTAIN CON

4000-1

P-27

P-27  
4000  
MT. CON

P-27  
4000  
MT. CON








360	278	279	280	281	282	283	284	285	286	287	288	289
359												
358												
357												
356												
355												
354												
353												
352												

MT. CON. 3900 MT. CON. 3800  
P-27

4000 P-27  
MT. CON.

KELLEY  
3900  
P-27


295 296 297 298 299 300 300



PITCOB 4100

4100 - Blank

278 279 280 281 282 283 284 285 286 287 288 289

350											
359											
358											
357											
356											
355											
354											
353											
352											

MT. CON. 3900 MT. CON. 3800  
P-27

4000  
Mt. Con

KELLEY  
3900  
P-27

WATER

WATER

4150 R

4150 R



MT. CON 4100-17

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352




CALYX



MTCOM 4100

278 279 280 281 282 283 284 285 286 287 288 289



MT. CON. 3900 MT. CON. 3800  
P-27 P-27

4000  
MT. CON

KELLEY  
27 3900

MT. CON 4100-16

BAI277

BAI277

BAI277

CALYX

BAI277

AI28R  
AI28R

AI28R

AI28R


MOUNTAIN CON 4100

278 279 280 281 282 283 284 285 286 287 288 289

360  
359  
358  
357  
356  
355  
354  
353  
352

MT. CON. 3900 MT. CON. 3800 P-27  
4000 MT. CON P-27  
KELLEY 3900 P-27

MT. CON 4100-15






289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352





CALYX



MOUNTAIN CON 4100



278 279 280 281 282 283 284 285 286 287 288 289



MT. CON. 3900 MT. CON. 3800  
P-27

4000  
Mt. Con

KELLEY  
3900  
P-27

MT. CON 4100-14

289 290 291 292 293 294 295 296 297 298 299 300

360

295  
BALAZZ

296  
BALAZZ

298  
BALAZZ

LOCALIA

LOCALIA

LOCALIA


AIZER  
AIZER

AIZER

AIZER

AIZER

MTC-4100



MT. CON. 3900 MT. CON. 3800  
P-27

4000  
MT. CON

KELLEY  
3900

MT. CON 4100-13

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

BA147 & 148

BA147

BA148

BA149

BA150


4108A  
4108B

4108C

4108D

MTCOM 4100

278 279 280 281 282 283 284 285 286 287 288 289



MT. CON. 3900 MT. CON. 3800  
P-27 P-27

4000  
Mt. Con

KELLEY  
3900  
P-27

MT. CON 4100-12

289 290 291 292 293 294 295 296 297 298 299 300

360

359

358

357

356

355

354

353

352

B4142R

B4142R

B4103K

B4103K


CALYX

A1250R

A1250R

A4105R

MOUNTAIN CON 4100



4000  
Mt. Con  
P-27

KELLEY  
3900  
P-27





Mt. CON 4100-11

289 290 291 292 293 294 295 296 297 298 299 300

360



CALVA



359

358

357

356

355

354

353

352

MT. CON 4100




MT. CON. 3900 MT. CON. 3800  
P-27


4000  
MT. CON

KELLEY  
3900  
P-27

278 279 280 281 282 283 284 285 286 287 288 289




MT. CON 4100-10



MTCOM 4100

278 279 280 281 282 283 284 285 286 287 288 289




4000  
Mt. Con  
MT. CON. 3900 MT. CON. 3800  
P-27

KELLEY  
3800

MT. CON 4100-9



278 279 280 281 282 283 284 285 286 287 288 289



Mt. CON 4100-8

MT. CON. 3900 MT. CON. 3800  
P-27 P-27


4000  
MT. CON

KELLEY  
3000



4000 71  
MT. CON  
MT. CON  
P-27

KELLEY  
3000  
P-27



MT. CON 4100-7







289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

AUX ORE PASS  
A4157R  
A4157R

800  
800  
800

B4152R  
B4152R  
B4152R

B4152R  
B4152R

B4152R  
B4152R

B4152R  
B4152R

A4155R  
A4155R

A4155R  
A4155R

A4155R  
A4155R


A4155R  
A4155R  
A4155R

A4155R  
A4155R  
A4155R

MTCOON 4100

4000  
MT. CON  
MT. CON. 3900 MT. CON. 3800  
P-27

KELLEY  
3900




MT. CON 4100-5



4000  
MT. CON  
P-27

KELLEY  
3000  
P-27




MT. CON 4100-4



4000  
MT. CON  
P-27

KELLEY  
3000  
P-27




MT. CON 4100-3





4000  
MT. CON  
MT. CON. 3900 MT. CON. 3800  
P-27

KELLEY  
3800  
P-27



MT. CON 4100-2

289 290 291 292 293 294 295 296 297 298 299 300

360

Aux Out Pass

41137 E

A1137 E

41137 E

41137 E

41137 E

41137 E

41137 E

41137 E

41137 E

41137 E

41137 E

41137 E

41137 E  
41137 E  
41137 E

41137 E

41137 E

41137 E


41137 E

MTC CON 4100

MT. CON. 3900 MT. CON. 3800  
P-27

4000  
Mt. Con

KELLEY  
3800  
P-27



MT. CON 4100-1

289 290 291 292 293 294 295 296 297 298 299 300

360  
359  
358  
357  
356  
355  
354  
353  
352

Aut. Obs. Pass



AA157 E

CA157 E



BA155 E



CA155 E



BA157 E



BA158 E




BA158 E



BA158 E



CA158 E



A154 E

A154 E


A154 E

A155 E


A155 E



A155 E



A155 E




A155 E

Mt. Con 4100  
P-27

4000  
MT. CON  
P-27

KELLEY  
3800  
P-27






MT. CON. 3900 MT. CON. 3800  
P-27

4000  
Mt. Con

MT. CON. 4100  
P-27

KELLEY  
3800  
P-27



4210R

3



