

5  
STOPE BOOK  
ANACONDA MINE


—  
NORTH  
22-28

N-29 8

N  
20  
5

KELLEY  
2009

ANACONDA  
Z600 SILL



N  
C  
5

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337

336

KELLEY  
2000

Anacosta  
2600 Sill

N  
20  
5

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337

336

KELLEY  
ROAD

ANACONDA  
2600 SILL

N  
20  
5



311

312

313

314

315

316

317

318

319

320

321

346

322

343

342

341

340

339

338

337

336

KELLEY  
ROAD

ANACONDA  
2600 STILL

N  
20  
5

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337


336

BY

KELLEY  
ROAD

Amconda  
2600 Still

N  
11  
20  
5



Never Sweat Staff



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338


337

336

Anaconda Staff



BESS IONE  
Approx. Elev. 3385




Anaconda  
St. Lawrence

2200  
2000

15<sup>th</sup> Floor  
15<sup>th</sup> Floor

KELLEY  
2000

Anaconda  
2600 Still

 Never Sweat Staff

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda Shaft*




*Anaconda St. Lawrence*

2200  
2000

14<sup>th</sup> Floor  
14<sup>th</sup> Floor

Anaconda  
2600 Still

KELLEY  
2000

 *Never Sweat  
Stuff!*



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339


338

337

336

KELLEY  
2000

Anaconda  
2600 SILL


 *Anaconda Shaft*



*Anaconda  
St. Lawrence*

2200  
2000

13<sup>th</sup> Floor  
13<sup>th</sup> Floor

 Never-Sweat-Staff

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 *Anaconda Shaft*




*Anaconda  
St. Lawrence*

2200  
2000

12<sup>th</sup> Floor  
12<sup>th</sup> Floor

Anaconda  
2600 Still

KELLEY  
2000

 New-Sweet-Staff

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338


337

336

KELLEY  
2000

H  
2  
M  
C

Anaconda  
2600 SILL


 Anaconda  
Shaft



Anaconda  
St. Lawrence

2200  
2000

11<sup>th</sup> Floor  
11<sup>th</sup> Floor

 Never-Sweat  
Staff

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338


337

336

KELLEY  
2000

H  
2  
M  
C

Anaconda  
2600 Still


 Anaconda  
Shaft



Anaconda  
St. Lawrence

2200  
2000

10<sup>th</sup> Floor  
10<sup>th</sup> Floor

 *Never-Smoot  
-Swift*



311 312 313 314 315 316 317 318 319 320 321 322


343  
342  
341  
340  
339  
338  
337  
336

KELLEY  
2000

H  
2  
M  
C

Anaconda  
2600 SILL

Anaconda  
Stuff




Anaconda  
St. Lawrence

2200  
2000

9<sup>th</sup> Floor  
9<sup>th</sup> Floor

N  
11  
20  
5

 Neyer-Sweet  
Swift

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339


338

337

336



H  
2  
M  
C

Anaconda  
2600 SILL

 Anaconda  
Shaft

 22140

 22300

 22164  
 12297


Anaconda  
St. Lawrence

2200  
2000

 2200  
 2000

8<sup>th</sup> Floor  
8<sup>th</sup> Floor

N  
20  
5

 Never Sweat  
-Stitch

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338


337


336

KELLEY  
2000

H  
2  
M  
C

Anaconda  
2600 Still

 *Anaconda  
Shaft*




*Anaconda  
St. Lawrence*

*2200  
2000*

*7<sup>th</sup> Floor  
7<sup>th</sup> Floor*

N  
20  
5




311 312 313 314 315 316 317 318 319 320 321 322

343  
342  
341  
340  
339  
338  
337  
336

KELLEY  
2000

H  
2  
M  
C

Anaconda  
Z600 SILL

 *Anaconda Shaft*



*Anaconda  
St. Lawrence*

2200  
2000

6<sup>th</sup> Floor  
6<sup>th</sup> Floor

N  
20  
5

 Never Sweat  
-Shyff



311 312 313 314 315 316 317 318 319 320 321 322


343  
342  
341  
340  
339  
338  
337  
336

KELLEY  
2000

H  
2  
3  
4

Anaconda  
2600 SILL



 *Anaconda  
Shaft*



*Anaconda  
St. Lawrence*

2200  
2000

5<sup>th</sup> Floor  
5<sup>th</sup> Floor

350

300

301

302

303

304

305

306

307


308

309

310

311

N  
11  
20  
5

 Never Sweet  
Stuffs

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338


337


336

H  
2  
M  
C

Anaconda  
2600 SILL




 *Anaconda  
Shaft*



*Anaconda  
St. Lawrence*

2200  
2000

4<sup>th</sup> Floor  
4<sup>th</sup> Floor

 *Never Sweat  
Sheff*

311 312 313 314 315 316 317 318 319 320 321 322

343  
342  
341  
340  
339  
338  
337  
336

KELLEY  
2000

H  
2  
3  
4  
5

Anaconda  
2600 SILL




Anaconda  
Staff



Anaconda  
St Lawrence

2200  
2000

3rd Floor  
3rd Floor

 *Never-Sweat  
Shirt*

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338

337

336

Anaconda  
2600 SILL




Anaconda  
Shaft



Anaconda  
St Lawrence

2200  
2000

2<sup>nd</sup> Floor  
2<sup>nd</sup> Floor

 *Weyerhaeuser*  
*Never-Sweat*  
*Sheets*



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338

337


336

KELLEY  
2009

Anaconda  
2600 SILL



Anaconda  
Shaft




Anaconda  
St. Lawrence

2200  
2000

1<sup>st</sup> Floor  
1<sup>st</sup> Floor






Never Sweat 2200 Sill

Never Sweat Shaft  
Elev. 3878.04  
3876.5



 Never Sweat  
Sheet

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338

337


336

KELLEY  
2009

H  
2  
M  
C


Anaconda  
2600 Sill

Anaconda  
Shaft



Anaconda 2400 25<sup>th</sup> Floor

N  
20  
5

 *Never Sweat  
Shoet*

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338

337

336

KELLEY  
2009


Anaconda  
2600 SILL

*Handwritten notes:*  
The top of the shaft is 100 ft  
from the top of the shaft  
to the top of the shaft  
at the top of the shaft



Anaconda 2400 24<sup>th</sup> Floor

N  
20  
5

 Never Sweat  
Staff



KELLEY  
2000

343

342

341

340

339

338

337

336

N  
2  
1  
5  
C

Anaconda  
2600 SILL

Anaconda  
Shaft




Anaconda

2400

23<sup>rd</sup> Floor

N  
20  
5

 Never-Sweat  
Shaft

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338


337

336

N  
215


Anaconda  
2600 SILL

Anaconda  
Shaft





N  
20  
5

 Never Swoot  
Shaft

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338


337

336

N  
21st

Anaconda  
2600 Sill

Anaconda  
Shaft




Anaconda

2400

21<sup>st</sup> Floor

N  
20  
5

 Never Sweats  
Shirts

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338

337

336

N  
S  
I  
C


Anaconda  
2600 SILL

Anaconda  
Shaft



Anaconda 2400 20<sup>th</sup> Floor

N  
20  
5

 Never-Sweat  
Shaft



KELLEY  
2000

N  
2  
1  
C

Anaconda  
2600 Still


Anaconda  
Shaft



Anaconda

2400

19<sup>th</sup> Floor

 Never Sweat  
Stiff

KELLEY  
2000

343

342

341

340

339

338


337


336

N  
S  
I  
C

Anaconda  
2600 SILL

Anaconda  
Shaft



 Neyer-Sweet  
Staff

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338


337

336


N  
2  
1  
5

Anaconda  
ep  
2600 SILL

Anaconda  
Shaft



18

 Nover-Sweet  
Shaft

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339


338

337

336

N  
2  
1  
5

Anaconda  
2600 Still

 Anaconda  
Spatt



11

 Never Sweat  
Shoff



311

312

313

314

315

316

317

318

319

320

321

322

KELLEY  
2000

343

342

341

340

339

338

337

336

N  
2  
1  
5  
C

Anaconda  
ep  
2600  
SILL




Anaconda  
Shatt



300 301 302 303 304 305 306 307 308 309 310 311

G 1020



23

24

Never Straight Again

311 312 313 314 315 316 317 318 319 320 321 322

KELLEY  
2000

343

342

341

340

339

338

337

336

N  
2  
1  
5

Anaconda  
2600 SILL



Anaconda  
Shaft




Anaconda High Ore 2400 14<sup>th</sup> Floor Sill

KELLEY  
2000

23

24

L

 Never Sweat  
Short

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 *Anaconda Shatt*



*Anaconda 2400 13<sup>th</sup> Floor*

N  
2  
1  
5

Anaconda  
2400  
SILL

377

300

301

302

303

304

305

306

307

308

309

310

311

KELLEY  
2000

23

24


 Ever-Sweet  
Soft



KELLEY  
2000

24

IN  
20  
5

 Never Sweat  
Just



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 *Anaconda Shaft*



*Anaconda 2400 11<sup>th</sup> Floor*


N  
2  
1  
5


Anaconda  
2400 SILL

KELLEY  
2000

24

IN  
2  
5

 *Never Sweat  
Sheet*

 *Anaconda Shaft*



*Anaconda*

2400

10<sup>th</sup> Floor

N  
2  
1  
5


Anaconda  
2400 SILL


KELLEY  
2000

22

24

N  
20  
5

 Never Sweat  
Stout

 *Anaconda Shaft*



*Anaconda*

*2400*

*9<sup>th</sup> Floor*

N  
2  
1  
5

Anaconda  
2600 Still


KELLEY  
2000

23

24

N  
20  
5

2022  
No Section

 Neyer-Sweet  
Staff

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340


339

338

337

336

 *Anaconda Shaft*



*Anaconda 2400 8<sup>th</sup> Floor*

N  
2  
5  
5  
Anaconda  
2400 Shaft

KELLEY  
2000


24

N  
2  
5

24

Never Sweat  
Shaft



 *Anaconda Shaft*



*Anaconda*

*2400*

*7<sup>th</sup> Floor*

N  
2  
5  
15

Anaconda  
2400 Still


KELLEY  
2000

24

21  
22  
23  
24  
25

24-522L  
2000

Never Sweat  
Short

 *Anaconda Shaft*



*Anaconda*

2400

6<sup>th</sup> Floor

N  
2  
5  
1  
5

Anaconda  
2400 SILL

KELLEY  
2000

34

N  
2  
5

1910

Never Sweat  
Shorts

343

342

341

340

339

338

337

336

Anaconda Spalt



Anaconda 2400 5<sup>th</sup> Floor

N  
 2  
 5  
 5  
 Anaconda  
 2400 Sill

KELLEY  
2000

34

34

11  
2  
5

2000

Never Sweat  
Stuff

343

342

341


340


339

338

337

336

 *Anaconda Shaft*



*Anaconda*

2400

4<sup>th</sup> Floor

N  
2  
5  
1  
5

Anaconda  
2600 Still

KELLEY  
2000

24

11  
2  
5

1111

Never-Sweat  
Shirt



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340


339

338

337

336

Anaconda  
Shalt



Anaconda

2400

3<sup>rd</sup> Floor

N  
2  
5  
1  
5

Anaconda  
2600 Still

KELLEY  
2000

24

M  
2  
5

2000

Never-Sweet  
Starch

Anaconda Shaft



Anaconda

2400

2<sup>nd</sup> Floor

Anaconda  
2600 Still

N  
2  
5  
1  
5

KELLEY  
2000

23

24

N  
20  
5

2000  
in Stadium

Never Sweat  
Stuff

343

342

341


340

339

338

337

336

 *Anaconda Shaft*

 Crayon  
C-2849K

*Anaconda 2400 1<sup>st</sup> Floor*

N  
2  
5  
C  
Anaconda  
2600 Still

KELLEY  
2000

24

21

M  
20  
5





Never-Sweat  
Shaft  
Elev. 2670 AB

Never-Sweat 2400 Sill

N  
215

Anaconda  
2600 Sill




Anaconda  
St. Lawrence

2400  
2200


Sill  
Sill

KELLEY  
2000

24

 Never Sweat  
Staff



 Anaconda  
 Shaft  
 2600-16 fl.


Anaconda 2600-21


N  
 215  
 515  
 Anaconda  
 2600 Still

KELLEY  
2000

24

N  
2  
5

 Never Sweat  
Shaft



 Anaconda  
 Shaft  
 2600-15


Anaconda 2600-20

N  
 2  
 5  
 Anaconda  
 2600 Still

KELLEY  
2000

24

 Neyer, Sweat  
Staff

 Anaconda  
Shirt  
2600-1a


Anaconda 2600-19

N  
2615

Anaconda  
2600 Still

KELLEY  
2000

24

 Never Sweat  
Shaft

343

342

341


340

339

338

337

336

 *Anaconda  
Skatt  
2600-13*


*Anaconda 2600-18*

N  
2  
5

Anaconda  
2600 Still

KELLEY  
2000

24

 Never Sweat  
Shaft





Anaconda  
Shaft  
2600-12

Anaconda 2600-17

N  
2  
15


Anaconda  
2600 Still

KELLEY  
2000

24



Never Sweat  
Shave

 *Anaconda  
Skaff  
2600-11*

*Anaconda 2600-16*


 *336*

N  
2  
15  
Anaconda  
2600 Still

KELLEY  
2000

302

303

 *Never Sweat  
Shaft*

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 *Anaconda Staff*  
2600-10

*Anaconda 2600-15*

 2600-15


Anaconda  
2600 Still

N  
2  
15

KELLEY  
2000

24

24

 Never Sweat  
Shaft

311

312

313

314

315

316

317

318

319

320

321

322

397

343

342

341

340

339

338

337

336



Anaconda  
Shaft  
2600-9

Anaconda 2600-14




N  
2615

Anaconda  
2600 Still

KELLEY  
2000

2000

2000

 *Never Sweat  
Shaft*



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 *Anaconda  
Shaft  
2600 lb*


*Anaconda 2600-13*

 *2600-13*

N  
2  
5  
Anaconda  
2600 Still

KELLEY  
2000

24

 Ever-Sweat  
Shaft

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337

336



Anaconda  
Shaft

2600-7

Anaconda 2600-12

N  
215  
5  
ANACONDA  
2600 STILL

KELLEY  
2000

24

24

APRASE  Meyer Swool  
Stauff-Suapp

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda  
Sheet*

*Anaconda* 2600-11  
" 2800-28

N  
2  
5  
Anaconda  
2600 SILL

KELLEY  
2000

24

25

2000

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda Shaft*

*Anaconda*  
" 2600-10  
2800-27

N  
2  
5  
Anaconda  
2600 Still

KELLEY  
2000

24

25

26

220444



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda*  
*Staff*

*Anaconda*

2600-9  
2800-26

N  
2  
5  
Anaconda  
2600 Still

WELLEY  
2000

24

25

26

2000

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 *Anaconda Shaft*

 Cramer

*Anaconda*  
2600-8  
2800-25

N  
2  
5  
Anaconda  
2600 SILL

SELLEY  
2000

24

25

26

27

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda  
Shaft*

 *C. S. S. Co.*

*Anaconda*

2600-7  
2800-24

N  
2  
5  
Anaconda  
2600 SILL

SELLEY  
2000

24

25

26



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda*  
*Shaft*

 *C. 2800-23*

*Anaconda*  
"

2600-6  
2800-23

N  
2  
5  
Anaconda  
2600 Still

KELLEY  
2000

24

21

20

1246 F



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaco*  
*Staff*

 *Anaco*

 *Anaco*

*Anaco*  
"

2600-5  
2800-22

N  
2  
5  
Anaco  
2600 Still

KELLEY  
2000

24

20

APR 2000

343

342

341


340

339

338

337

336

 Anacoda  
Shaft

 Coke

 Coke

Anacoda

2600-4  
2800-21

N  
2615

Anacoda  
2600 SILL

KELLEY  
2000

24

20

ARMALC

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340


339

338

337

336

 Anaconda  
Shaft



Anaconda

2600-3  
2800-20

N  
26  
5  
Anaconda  
2600 SILL

KELLEY  
2000

24

26

28

ADPABR

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda  
Shaft*



*Anaconda*  
"

2600-2  
2800-19

N  
215  
Anaconda  
2600 SHL

KELLEY  
2000

24

20

25

2000



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340


339


338

337

336



 *Anaconda Staff*



*Anaconda  
Anaconda*

*2600-1  
2800-18*

N  
215  
Anaconda  
2600 Still

KELLEY  
2000

24

25


26

27

415848

311 312 313 314 315 316 317 318 319 320 321 322

343  
342  
341  
340  
339  
338  
337  
336



N 215  
Anaconda  
2600 Sill

KELLEY  
2000

24

21

20

26

Anacosta  
2600 SILL

ADAMS

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339

338

337

336

N  
2  
5

 *Anaconda Spatt*

KELLEY  
2000

24

25

26

28

Anacosta  
2600 SILL

220000

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339

338

337

336

N  
2  
5

 *Anaconda  
Shaft*

*Anaconda 2800-15*

KELLEY  
2000

24

25

26

27

Anacosta  
2400 SILL

12246 R



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339


338

337

336

N  
2  
5

 *Anaconda  
Shaft*

*Anaconda*  *2800-14*

KELLEY  
2000

24

25

26

27

Anacosta  
2600 SILL

5  
2  
N

© 2000 K

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339

338

337

336

N  
2  
5

 *Anaconda  
Shaft*

KELLEY  
2000

24

25

26

26

Anacosta  
2600 SILL

27  
Anacosta

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336

 Anacorda  
Shaft

Anacorda 2800-12

N  
2  
5

KELLEY  
2000

24

24

20

26

5  
2  
N

Anac onda  
2600 SILL

22482

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339

338

337

336

N  
2  
5

 *Anaconda  
Shaft*

KELLEY  
2000

24

57  
20

26

Anacosta  
2600 SILL

41848R



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339


338

337

336

N  
2  
5

 *Anaconda  
Shaft*

 *Anaconda* 2800-10

KELLEY  
2000

24

57  
20

26

Anaconda  
2600 SILL

12868

311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340


339

338

337

336

N  
29  
5

 *Anaconda  
Sheff*

 *Anaconda* 2800-9

KELLEY  
2000

24

25

26

26

Anaconda  
2600 SILL

12000

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340


339

338

337

336

N  
29  
5

 *Anaconda  
Shaft*

*Anaconda*

2800-8

KELLEY  
2000

24

25

26

26

Anaconda  
2000 SILL

ADBAER

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337

336



EL. 3480\*

Anaconda  
Shaft  
Concrete  
Slab. 5' Thick

Anaconda

2800-7

N  
29  
5

KELLEY  
2000

24

25

26

27

Anacosta  
2600 SILL





311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340


339


338

337

336

N  
29  
5

 *Anaconda  
Shaft*

  
*Anaconda*

2800-6

KELLEY  
2000

24

25

26

27

Anaconda  
2600 SILL



311 312 313 314 315 316 317 318 319 320 321 322


343

342

341


340

339

 Anaconda Shaft

338

337

 Anaconda 2800-5

336

N  
29  
5

KELLEY  
2000

24

25

26

27

Anaconda  
2000 SILL



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340


339

338

337

336

 *Anaconda*  
*Shaff*

 *Anaconda* 2800-4

N  
29  
5

KELLEY  
2000

24

25

26

27

Anaconda  
2000 SILL

5  
A2000-2

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341


340

339

338

337

336

 *Anaconda*  
*Shatt*

N  
20  
5

KELLEY  
2000

24

25

26

27

Anaconda  
2600 SILL





311 312 313 314 315 316 317 318 319 320 321 322

343

342

341

340

339

338

337

336

10000

PTA Anaconda Shaft

10

N  
20  
5

KELLEY  
2000

24

25

26

27

Anaconda  
2600 SILL



311 312 313 314 315 316 317 318 319 320 321 322

343

342

341


340

339

338

337

336



N  
20  
5

KELLEY  
2000


24


25

26

27

Anaconda  
2600 SILL





N  
20  
5

Anaconda 2800 Sill

KELLEY  
2000

24

25

26

27

Anaconda  
2000 SILL

311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337

336



Anaconda  
SHAFT  
Repeated in H-29 Vol 6

N  
20  
5

KELLEY  
2000

24

25

26

27

Anaconda  
2000 SILL



311

312

313

314

315

316

317

318

319

320

321

322

343

342

341

340

339

338

337

336



Anaconda

Shaft

Reported in N 29 - Vol 6

N  
29  
5

KELLEY  
2000

24

25

26

27

Anaconda  
2000 SILL

5120



Anaconda  
Shirt  
Repeated in N-29 Vol 6

N  
2  
5

KELLEY  
2000

22

24

25

26

27

28

Anacosta  
2600 SILL

5120

N  
29  
5

N  
29  
5

