


2

MT CON

VOL 1

P25



STEWART
1700

5

5

5

5

5

5

5

5

5

5

5

5

5

5



267 268 269 270 271 272 273 274 275 276 277 360

P 21
STEWARD
1700
358
2100
357
356
355
354
353
352
351




Steward 1700 Sill. (P26)

25

R25

STEWART
1700



267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

STEWARD 2100-10
25
25
2300
25
25
4200
25
4400
25
5000
25
5000

CRITER

	256	257	258	259	260	261	262	263	264	255	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

R25
STEWART
1700

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

25

25

25

25

25

25

25

25

STEWARD 2300

4200

4400

4500

4600

2100-7

STEWARD

2100-7

021728

350	256	257	258	259	260	261	262	263	264	265	266	267
359												
358												
357												
356												
355												
354												
353												
352												

R25
STEWART
1700

P25
STEWART
1700

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

COPIES DRAWN ETC

267 268 269 270 271 272 273 274 275 276 277 278 360

P-25
STEWARD
2100

P-25
STEWARD
2300


P-25
4200

P-25
4400

P-25
4500

P-25
4600

359
358
357
356
355
354
353
352



STEWARD 2100 SILL

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWART
1700

P25
STEWART
2100

267	268	269	270	271	272	273	274	275	276	277	278	353
												359
												356
												357
												355
												355
												354
												353
267	268	269	270	271	272	273	274	275	STEWARD 2300-26			352

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4600

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWART
1700

P25
STEWART
2100

267	268	269	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353
												352

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4600

257	268	269	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353
												352

STEWARD 2300-21

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4600

257	258	269	270	271	272	273	274	275	276	277	278
											350
											359
											358
											357
											356
											355
											354
											353
											352

STEWARD 2300-19

25
STEWARD 2300
25
4200
25
4400
4500
25
4500

P25
STEWARD
1700

P25
STEWARD
E100

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

STEWARD
E100

257	258	259	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353
												352

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4600

350	256	257	258	259	260	261	262	263	264	265	266	267
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
E100

257	258	259	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353
												352

STEWARD 2300-1G

25
STEWARD
2300
25
4200
25
4400
25
4500
25
4600

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
E100

267 268 269 270 271 272 273 274 275 276 277 278

360
359
358
357
356
355
354
353
352

25
STEWARD
2300
25
4200
25
4400
25
4500
25
4600

C-2300-A1

14

267 268 269 270 271 272 273 274 275 276 277 278

360

359

358

357

356

355

354

353

352

25
STEWARD
2300
25
4200
25
4400
4500
25
4500



STEWARD 2300-14

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
E100

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
E100

267	268	269	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353
												352

STEWARD 2300-12

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4600



P25
STEWARD
1700

P25
STEWARD
E100

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

267	268	269	270	271	272	273	274	275	276	277	278	350
												359
												358
												357
												356
												355
												354
												353

STEWARD 2300-11

25
STEWARD 2300
25
4200
4400
25
4400
355
4500
25
4500



359	256	257	258	259	260	261	262	263	264	265	266	267
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

267	268	269	270	271	272	273	274	275	276	277	278	350
												359
												358
												357
												356
												355
												354
												353

350
359
358
357
356
355
354
353
352

25
STEWARD 2300
25
4200
25
4400
4500
25
4500



360	256	257	258	259	260	261	262	263	264	265	266	267
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

STEWARD
1700

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

STEWARD 1700

267	268	269	270	271	272	273	274	275	276	277	278	350
												359
												358
												357
												356
												355
												354
												353
												352

STEWARD 2300-7

25
STEWARD 2300
25
4200
25
4400
4500
4600



	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

P25
STEWARD
2500

267 268 269 270 271 272 273 274 275 276 277 278

360
359
358
357
356
355
354
353
352

25
STEWARD
2300
25
4200
25
4400
25
4500
25
4600



STEWARD 2300-G

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

2-1965 2144470

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

267	268	269	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353
												352

STEWARD 2300-4

C2374T
E-3888-6

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4600

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

267 268 269 270 271 272 273 274 275 276 277 278

353
354
355
356
357
358
359
360

25
STEWARD
2300
25
4200
25
4400
25
4500
25
4600
CON

STEWARD 2300-3

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

267	268	269	270	271	272	273	274	275	276	277	278	360
												359
												358
												357
												356
												355
												354
												353

25
STEWARD 2300
25
4200
25
4400
25
4500
25
4500

STEWARD

	256	257	258	259	260	261	262	263	264	265	266	267
350												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

267 268 269 270 271 272 273 274 275 276 277 278

350

351

352

353

354

355

356

357

358

25
STEWARD
2300

25
4200

25
4400

25
4500

25
4600

STEWARD
2300-1

STEWARD 2300-1

	256	257	258	259	260	261	262	263	264	265	266	267
360												
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

267 268 269 270 271 272 273 274 275 276 277 278

360
359
358
357
356
355
354
353
352

P 25
STEWARD
2300

25
4200
4200
4400

4500
4500

CESTOR
The P. H. S. & S. Co.
C2323

360	256	257	258	259	260	261	262	263	264	265	266	267
359												
358												
357												
356												
355												
354												
353												
352												

P25
STEWARD
1700

P25
STEWARD
2100

P25
STEWARD
2300

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											

R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

P25
MT CON
4200

P25
MT CON
4400

P25
MT CON
4500

P25
MT CON
4600

MT CON 4600-20

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
E100

R25
STEWARD
2300

267

268

269

270

271

272

273

274

275

276

277

278

										360
										359
										358
										357
										356
										355
										354
										353
										352

P25
MITCON
4200

P25
MITCON
4400

P25
MITCON
4500

P25
MITCON
4500

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
E100

R25
STEWARD
2300

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

225
MT CON
4200
425
MT CON
4400

4500
MT CON

4500
MT CON

MT CON 4500

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
E100

R25
STEWARD
2300

MT. CON 4200-18

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
E100

R25
STEWARD
2300

MT. CON 4200-17

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

P25
MT CON
4200

P25
MT CON
4400

P25
MT CON
4500

P25
MT CON
4600

17 05000 000 00

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

256 257 258 259 260 261 262 263 264 265 266 267

350											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
E100

R25
STEWARD
2300

MT. CON 4200-15

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

P25
MIT CON
4200
425
MIT CON
4400

4500
MIT CON

4500
MIT CON

21-1000P-101W

11 1/2

256 257 258 259 260 261 262 263 264 265 266 267

360												
359												
358												
357												
356												
355												
354												
353												
352												

R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

Mt. Con 4200-14

412.22

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

MT. CON 4200-13

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

MT. CON 4200-12

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

P25
MIT CON
4200
425
MIT CON
4400

4500
MIT CON

4500
MIT CON

MIT CON

256

258

259

260

261

262

263

264

265

266

267

360

359

358

357

356

355

354

353

352

256 257



R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300


MT. CON 4200-11

256 257 258 259 260 261 262 263 264 265 266 267

380												
359												
358												
357												
356												
355												
354												
353												
352												

R25
STEWARD
1700
R2
STEWARD
2100
R25
STEWARD
2300

MT. CON 4200-10




R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

352 MT. CON 4200-9

256 257 258 259 260 261 262 263 264 265 266 267




R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

352 MT. CON 4200-8




R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

352 MT. CON 4200-7

256 257 258 259 260 261 262 263 264 265 266 267




R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

352 MT. CON 4200-6




R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

352 MT. CON 4200-5

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

352 MT. CON 4200-4

256

257

258

259

260

261

262

263

264

265

266

267

350

359

358

357

356

355

354

353

352

64252 21188

R25
STEWART
1700

R25
STEWART
2100

R25
STEWART
2300

MT.CON 4200-3

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

MT. CON 4200-2

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

6-427320K

04218K

256 257 258 259 260 261 262 263 264 265 266 267

360												
359												
358												
357												
356												
355												
354												
353												
352												

GALIB

G4273IDE

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

MT CON 4200-1

360 256 257 258 259 260 261 262 263 264 265 266 267

GA2183
TR. EL. APPROX. 1909, 23


F4216

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MT.CON
4200



MT.CON 4200 SILL

P-25

256 257 258 259 260 261 262 263 264 255 256 257

360												
359												
358												
357												
356												
355												
354												
353												
352												

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MITCON
4200

4400-17

256 257 258 259 260 261 262 263 264 265 266 267

360												
359												
358												
357												
356												
355												
354												
353												
352												

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MITCON
4200

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MTCON
4200

MT. CON 4400-15

256 257 258 259 260 261 262 263 264 265 266 267

360												
359												
358												
357												
356												
355												
354												
353												
352												

R25 STEWARD 1700
R25 STEWARD 2100
R25 STEWARD 2300
R25 MTCON 4200

MT. CON 4400-14

256

257

258

259

260

261

262

263

264

265

266

267

360

359

358

357

356

355

354

353

352



R25
STEWART
1700

R25
STEWART
2100

R25
STEWART
2300

R25
MITCON
4200

MT. CON 4400-13

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

P25
MT CON
4400

P25
MT CON
4500

P25
MT CON
4500

MT CON 4500

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											



R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MTICON
4200

MT. CON 4400-12

360												
359												
358												
357												
356												
355												
354												
353												
352												



P4472

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MT. CON
4200

MT. CON 4400-11

360												
359												
358												
357												
356												
355												
354												
353												
352												

~~W~~
 044477K

R25
 STEWARD
 1700

R25
 STEWARD
 2100

R25
 STEWARD
 2300

R25
 MTICON
 4200

MT. CON 4400-10

256 257 258 259 260 261 262 263 264 265 266 267

360												
359												
358												
357												
356												
355												
354												
353												
352												



0-4477A

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MT. CON
4200

MT. CON 4400-9

5 256 257 258 259 260 261 262 263 264 265 266 267

360													
359													
358													
357													
356													
355													
354													
353													
352													

4497K

R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MTCON
4200

MT. CON 4400-8

360												
359												
358												
357												
356												
355												
354												
353												
352												

DMTK

R25
STEWARD
1700


R25
STEWARD
2100

R25
STEWARD
2300

R25
MTICON
4200

MT. CON 4400-7

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700


R25
STEWARD
2100

R25
STEWARD
2300

R25
MITCON
4200

352 MT. CON 4400-6

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700


R25
STEWARD
2100

R25
STEWARD
2300

R25
MTCON
4200

MT. CON 4400-5

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700


R25
STEWARD
2100

R25
STEWARD
2300

R25
MTCON
4200

352 MT. CON 4400-4

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700


R25
STEWARD
2100

R25
STEWARD
2300

R25
MT. CON
4200

352 MT. CON 4400-3

256 257 258 259 260 261 262 263 264 265 266



R25
STEWARD
1700


R25
STEWARD
2100

R25
STEWARD
2300

R25
MTCO
4200

352 MT. CON 4400-2

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
2100

R25
STEWARD
2300

R25
MTCON
4200

352 MT. CON 4400-1

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354

353

352

P25
MT CON
4400

P25
MT CON
4500

P25
MT CON
4500

400-012


P25
STEWARD
1700

P25
STEWARD
2100

P25
STEWARD
2300

P25
MT. CON
4200


P25
MT. CON
4400



MT. CON 4400-SILL

267	268	269	270	271	272	273	274	275	276	277	278
											360
											359
											358
											357
											356
											355
											354
											353
											352

ASCO
 22 MT CON
 22 MT CON



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
2300

R25
MT. CON
4200

R25
Mt. Con
4400


MT. CON 4500-18

267 268 269 270 271 272 273 274 275 276 277 278

											360
											359
											358
											357
											356
											355
											354
											353
											352

ASCO
MT CON
ASCO
MT CON

TI-0075 100714



R25
STEWARD
1700

R25
STEWARD
1800


R25
STEWARD
1900

R25
STEWARD
2000

R25
STEWARD
2100

MT. CON 4500-17

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800


R25
STEWARD
2300

R25
MT-CON
4200

R25
MT-CON
4400

MT. CON 4500-16

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
5100


R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

MT. CON 4500-15

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
1800

R25
STEWARD
2300

R25
MT-CON
4200

R25
MT-CON
4400

352 MT. CON 4500-14

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357


356

355

354

353


352



ASCO
2 MT. CON

ASCO
2 MT. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
5100

R2E
STEWARD
2300

R2E
MT. CON
4200

R25
MT. CON
4400

352 MT. CON 4500-13

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355

354


353

352

ASCOO
2 MT. CON
ASCOO
2 MT. CON

ASCOO 2 MT. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
5100


R25
STEWARD
2300

R25
MTCON
4200

R25
MT CON
4400

MT. CON 4500-12

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
5100


R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

MT. CON 4500-10

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
2300

R25
MT. CON
4200

R25
MT. CON
4400

MT. CON 4500-9

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357


356

355

354

353

352




4500
2 Mt. Con

4500
2 Mt. Con

8-3024-1003 rth

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

352 MT. CON 4500-8

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357


356

355

354

353


352



4500
2 Mt. CON

4500
2 Mt. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
1900

R25
STEWARD
2000

R25
STEWARD
2100

R25
STEWARD
2200

R25
STEWARD
2300

R25
STEWARD
2400

R25
STEWARD
2500

R25
STEWARD
2600

R25
STEWARD
2700

R25
STEWARD
2800

R25
STEWARD
2900

R25
STEWARD
3000

R25
STEWARD
3100

R25
STEWARD
3200

R25
STEWARD
3300

R25
STEWARD
3400


R25
STEWARD
3500

R25
STEWARD
3600

352 MT. CON 4500-7

267 268 269 270 271 272 273 274 275 276 277 278

360



359

358

357

356

355


354

353

352

4500
2 Mt. CON
4500
2 Mt. CON

Mt. CON 4500-2



R25
STEWARD
1700

R2
STEWARD
500

R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

MT. CON 4500-6

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357


356

355

354

353


352



4500
2 Mt. CON

4500
2 Mt. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
1900

R25
STEWARD
2000

R25
STEWARD
2100

R25
STEWARD
2200

R25
STEWARD
2300

R25
STEWARD
2400

R25
STEWARD
2500

R25
STEWARD
2600

R25
STEWARD
2700

R25
STEWARD
2800

R25
STEWARD
2900

R25
STEWARD
3000

R25
STEWARD
3100

R25
STEWARD
3200

R25
STEWARD
3300

R25
STEWARD
3400

R25
STEWARD
3500

R25
STEWARD
3600

MT. CON 4500-5

267

268

269

270

271

272

273


274

275

276

277

278



360

359

358

357

356

355

354


353

352

4500
2 MT. CON
4500
2 MT. CON

MT. CON 4500-4

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
1900

R25
MT CON
4200

R25
MT CON
4400

MT. CON 4500-4

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357


356

355

354

353

352




4500
A MT. CON

4500
A MT. CON

2-0024 4037M

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1800

R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

MT. CON 4500-3

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352

4500
A MT. CON
4500
A MT. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

MT. CON 4500-1

267

268

269

270

271

272

273

274

275

276

277

273

360

359

358

357

356

355

354

353

352

2
4500
2 Mt. Con

2
4500
2 Mt. Con

267 268 269 270 271 272 273 274 275 276 277 278

360
359
358
357
356
355
354
353
352

4500
2 MT. CON
4500
2 MT. CON

MT. CON 4500 SILL

256 257 258 259 260 261 262 263 264 265 266 267

360											
359											
358											
357											
356											
355											
354											
353											
352											

R25
STEWARD
1700

R25
STEWARD

R25
STEWARD
2300

R25
MT-CON
4200

R25
MT-CON
4400

4500
MT-CON

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352

P25
A00
L M CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R25
STEWARD
1700

R25
STEWARD
2300

R25
MT-CON
4200

R25
MT-CON
4400

4500
MT-CON

MT. CON 4600-19

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353


352

P25
4000
L.MI.CDN

R25
STEWARD
1700
R25
STEWARD
2300
R25
STEWARD
2300
R25
MT CON
4200
R25
MT CON
4400
R25
MT CON
4500



256 257 258 259 260 261 262 263 264 265 266 267



267

268

269

270

271

272

273

274

275

276

277


278

										360
										359
										358
										357
										356
										355
										354
										353
										352

P25
ACOD
L MI CON

R25
STEWARD
1700
R25
STEWARD
1800
R25
STEWARD
2300
R25
MT-CON
4200
R25
MT-CON
4400
R25
MT-CON
4500

256 257 258 259 260 261 262 263 264 265 266 267



267

268

269

270

271

272

273

274

275

276

277

278

										360
										359
										358
										357
										356
										355
										354
										353
										352

25
L
M
C
N
A
C
O
O

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352

4500
L.M.T. CON


P25
STEWARD
1700
P25
STEWARD
1800
P25
STEWARD
2300
P25
MT CON
4200
P25
MT CON
4400
P25
MT CON
4500



267	268	269	270	271	272	273	274	275	276	277	278
											360
											359
											358
											357
											356
											355
											354
											353
											352

4500
L.M.I. CO.

R25
STEWARD
1700
R25
STEWARD
1800
R25
STEWARD
2300
R25
MT CON
4200
R25
MT CON
4400
R25
MT CON
4500



MT. CON 4600-13

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352


4500
L MI CON

P25
STEWARD
1700
P2
STEWARD
5100
P25
STEWARD
2300
P25
MT CON
4200
P25
MT CON
4400
P25
4500
MT. CON




MT. CON 4600-12

267 268 269 270 271 272 273 274 275 276 277 278 279 360



4500
L.M.I. CON

R25
STEWARD
1700
R25
STEWARD
1700
R25
STEWARD
2300
R25
MT CON
4200
R25
MT CON
4400
R25
MT CON
4500



267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357


356

355

354


353

352




4500
A.M.T. CON

256 257 258 259 260 261 262 263 264 265 266 267




R25
 STEWARD
 1700
 R25
 STEWARD
 1800
 R25
 STEWARD
 1900
 R25
 STEWARD
 2000
 R25
 STEWARD
 2100
 R25
 STEWARD
 2200
 R25
 STEWARD
 2300
 R25
 STEWARD
 2400
 R25
 STEWARD
 2500
 R25
 STEWARD
 2600
 R25
 STEWARD
 2700
 R25
 STEWARD
 2800
 R25
 STEWARD
 2900
 R25
 STEWARD
 3000
 R25
 STEWARD
 3100
 R25
 STEWARD
 3200
 R25
 STEWARD
 3300
 R25
 STEWARD
 3400
 R25
 STEWARD
 3500
 R25
 STEWARD
 3600
 R25
 STEWARD
 3700
 R25
 STEWARD
 3800
 R25
 STEWARD
 3900
 R25
 STEWARD
 4000
 R25
 STEWARD
 4100
 R25
 STEWARD
 4200
 R25
 STEWARD
 4300
 R25
 STEWARD
 4400
 R25
 STEWARD
 4500
 R25
 STEWARD
 4600
 R25
 STEWARD
 4700
 R25
 STEWARD
 4800
 R25
 STEWARD
 4900
 R25
 STEWARD
 5000
 R25
 STEWARD
 5100
 R25
 STEWARD
 5200
 R25
 STEWARD
 5300
 R25
 STEWARD
 5400
 R25
 STEWARD
 5500
 R25
 STEWARD
 5600
 R25
 STEWARD
 5700
 R25
 STEWARD
 5800
 R25
 STEWARD
 5900
 R25
 STEWARD
 6000
 R25
 STEWARD
 6100
 R25
 STEWARD
 6200
 R25
 STEWARD
 6300
 R25
 STEWARD
 6400
 R25
 STEWARD
 6500
 R25
 STEWARD
 6600
 R25
 STEWARD
 6700
 R25
 STEWARD
 6800
 R25
 STEWARD
 6900
 R25
 STEWARD
 7000
 R25
 STEWARD
 7100
 R25
 STEWARD
 7200
 R25
 STEWARD
 7300
 R25
 STEWARD
 7400
 R25
 STEWARD
 7500
 R25
 STEWARD
 7600
 R25
 STEWARD
 7700
 R25
 STEWARD
 7800
 R25
 STEWARD
 7900
 R25
 STEWARD
 8000
 R25
 STEWARD
 8100
 R25
 STEWARD
 8200
 R25
 STEWARD
 8300
 R25
 STEWARD
 8400
 R25
 STEWARD
 8500
 R25
 STEWARD
 8600
 R25
 STEWARD
 8700
 R25
 STEWARD
 8800
 R25
 STEWARD
 8900
 R25
 STEWARD
 9000
 R25
 STEWARD
 9100
 R25
 STEWARD
 9200
 R25
 STEWARD
 9300
 R25
 STEWARD
 9400
 R25
 STEWARD
 9500
 R25
 STEWARD
 9600
 R25
 STEWARD
 9700
 R25
 STEWARD
 9800
 R25
 STEWARD
 9900
 R25
 STEWARD
 10000

MT. CON 4600-10




4500
A.M.T. CON

R25
STEWARD
1700
R25
STEWARD
2300
R25
STEWARD
2300
R25
MT CON
4200
R25
MT CON
4400
R25
MT CON
4500
R25
MT CON




MT. CON 4600-9



4500
MI CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

R25
MT. CON
4200

R25
MT. CON
4400


R25
MT. CON
4500

MT. CON 4600-8

267	268	269	270	271	272	273	274	275	276	277	278
											360
											359
											358
											357
											356
											355
											354
											353
											352

4600
A.M. CON
525

256 257 258 259 260 261 262 263 264 265 266 267



P25
STEWARD
1700

P2
STEWARD
2100

P25
STEWARD
2300

P25
MT CON
4200

P25
MT CON
4400

P25
MT CON
4500

MT. CON 4600-7

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352

4500
A.M.T. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R2
STEWARD
2100

R25
STEWARD
2300

R25
MT CON
4200

R25
MT CON
4400

R25
MT CON
4500

MT, CON 4600-6

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352

4500
A.M.T. CON

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700
R2
STEWARD
2100
R25
STEWARD
2300
R25
MT CON
4200
R25
MT CON
4400
R25
MT CON
4500

MT. CON 4600-5

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356


355

354

353


352

4600
25
A.M.I. CON



MT. CON 4600-4

256 257 258 259 260 261 262 263 264 265 266 267



R25
STEWARD
1700

R24
STEWARD
1800

R25
STEWARD
2300

R24
MT CON
4200

R24
MT CON
4400

R24
MT CON
4500

267

268

269

270

271

272

273

274

275

276

277

278
350

359

358

357

356

355


354

353

352

4600
25
A.MI.COM

256 257 258 259 260 261 262 263 264 265 266 267



MT. CON 4600-2

267

268

269

270

271

272

273

274

275

276

277

278

359

359

358

357

356

355


354

353

352

4600
25
MI. CON

R25
STEWARD 1700
STEWARD P
STEWARD N
2300
R
MT CON 4200
R
MT CON 4400
R
4500
MT. CON 4250



MT. CON 4600-1

267

268

269

270

271

272

273

274

275

276

277

278

360

359

358

357

356

355


354

353

352

524600
A MI CON

R25
STEWARD 1700
STEWARD 2300
STEWARD 2400
MT. CON 4200
MT. CON 4400
MT. CON 4500
MT. CON 4600



MT.CON 4600 SILL

267	268	269	270	271	272	273	274	275	276	277	278
											360
											359
											358
											357
											356
											355
											354
											353
											352

MT. CON 4600 SILL

360 256 257 258 259 260 261 262 263 264 265 266 267

359

358

357

356

355


354

353

352

R25
STEWARD
1700
STEWARD
P
STEWARD
N
2300
MTC CON
P
4200
MT CON
P
4400
4500
P
MT. CON
4600
P
MT CON
45

R25
STEWARD
1700
R2
STEWARD
2300
R2
MT CON
4200
R2
MT CON
4400
R2
MT CON
4500
R2
MT CON
4600



SEE VOL 5

MT. CON 4800 SILL

