


2

RAVIN NORTH

42

VOL.
4

Q
25





267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

Mr Cow 800

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

Mt. Con 4200-36

Mt. Con

Mt. Con 4200

Mt. Con 4200

256 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364


363


362

361


360

MT CON 4200-34





2 MT CON
 1 MT 4
 4400
 4200
 Mr Con 500
 1000000



258 259 260 261 262 263 264 265 266 267

367

366

365


364

363

362

361

360



Mt Con 4200-32

259 260 261 262 263 264 265 266 267

367

366

365


364

363


362

361


360





Mt. Con 4200-29




MT CON 4400
 MT CON 4700
 MT CON 4200












MT. CON
 4200
 MT. CON
 4200
 MT. CON
 4200



MT. CON 4200-20



Mt. Con 4200-19



Mt. Con 4200-19
 4400
 4200
 4000

260 261 262 263 264 265 266 267

367

366

365


364

363


362

361

360




MT. CON 4200-17 264




MT. CON - 4200-16

MT. CON
 4200
 MT. CON
 4200
 MT. CON
 4200








Mt. Con
4200
Mt. Con
4200



Mt Con 4200-13


2 Mt Con
 4400
 Mt Con
 4200
 Mt Con 4400
 4200






Mt Con 4200-10

Mt Con
 4200
 Mt Con
 4200
 Mt Con
 4200




Mt. Con 4200-G

Mt. Con 4200
 Mt. Con 4200
 Mt. Con 4200
 Mt. Con 4200
 Mt. Con 4200




Mt. CON 4200-5

Mt. CON 4400
Mt. CON 4200
Mt. CON 3800



MT. CON 4200-4

MT. CON 4400
 MT. CON 4200
 MT. CON 300



Mt. Con 4200-3

Mt. Con 4400
 Mt. Con 4200
 Mt. Con 800
 Mt. Con 4200

257

258

259

277

271

270

273

274

275

276

277

278

368

367

366

365


364

363

362

361

360




Mt. Con 4200-2


Mt. Con

Mt. Con 4400

Mt. Con 4200

Mt. Con 800







MT CON

MT CON 4400

MT CON 4200




Mt. Con 4400-17
 4800
 Mtn. Con.



MT. CON 4400-16


MT. CON
4200



Mt. Con 4400


Mt. Con 4400

256 257 258 259 260 261 262 263 264 265 266 267




Mt. Con 4400-15

Mt. Con 4200




4800
 MTN CON 14
 4400
 MT CON
 4400
 MT CON

256 257 258 259 260 261 262 263 264 265 266 267



Mt. Con 4200

Mt. Con 4400-13




MT. CON 4400-12

MT. CON
E100


MT. CON
E100
4400
MT. CON

4400
MT. CON




Mt. Con 4400-11

Mt. Con 4400




51 Mt. Con
8 4200


Mt. Con 4400-10



Mt. Con 4400-10


Mt. Con 4400-10
 4400
 MTN CON 10





MT. CON
4200

MT. CON 4400-8




2 Mt. CON

2 Mt. CON
4400


4800
MTN CON

18



Mt. Con 4400-7


Mt. Con
 4400
 Mtn. Con



Mt. Con 4400-1

Mt. Con 4400-1

256 257 258 259 260 261 262 263 264 265 266 267



MT. CON 4400 SILL

256 257 258 259 260 261 262 263 264 265 266 267

368

367

366

365

364

363

362


361

360




4400
MT CON
MT CON
4500-17

MT CON 4500-17




4400
MT CON
4500-13

MT CON 4500-13



MT. CON 4500-13

2 Mt. Con
 2 5100
 2 Mt. 4500
 2 Mt. Con 4500
 4800
 Mtn. Con 2




MT. CON 4500-12

2 MT. CON
2 SIND


2 MT. 4500
2 501 MT. CON 4500-12

4800
2 MT. CON 4500-12



MT. CON 4500-11


4400
MT. CON
4500-11



MT. CON 4500-8

2 MT. CON
2 FUND
5 MT. CON
504 MICH. W. 1.50


4800
MTN CON



MT. CON 4500-7


4400
MT. CON

MT. CON




Mt. Con 4500-7

2 Mt. Con
 2 Mt. Con
 2 Mt. Con
 2 Mt. Con
 2 Mt. Con




MT. CON 4500-G

2 Mt. CON
 2 SIND
 5 MT 4500
 504 Mt. Con
 4800
 MTN CON



4400
MT. CON

MT. CON 4500-4



MT. CON 4500-3

2 MT. CON
2 5110

2 MT. CON
2 501 MT. CON 4500-3

4500
MTN CON 2


4500

256 257 258 259 260 261 262 263 264 265 266 267



MT. CON 4500 SILL

4400 MT. CON
3 MT. CON



MT. CON 4600-18

41300
MT. CON
MT. CON

256 257 258 259 260 261 262 263 264 265 266 267

358

357

356

355

354

353


352

351

350

41300 411
MT. CON
MMI Con vol 4

MT. CON
4600-17



MT. CON 4600-17

267 268 269 270 271 272 273 274 275 276 277 278 368

367

366

365


364

363

362

361

360



MT. CON
5000

MT. CON
4600

MT. CON
4600

4600
MTN CON

267 268 269 270 271 272 273 274 275 276 277 278 368

367

366

365


364

363

362

361

360




MT. CON
4600

MT. CON
4600

MT. CON
4600

MT. CON
4600

44300 433
MMI Co. vol. 9
Mt. Con



Mt. Con 4400-12

368 256 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364


363

362

361

360

44300 443
MT. CON
MMI Con vol 9



MT. CON 4600-10

368 256 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364


363

362




361

360

44300 011
Mt. Con
MMI Co. vol. 4




BAGSAL



Mt. Con 4600-8

256 257 258 259 260 261 262 263 264 265 266 267



44500
Mt. Con

Mt. Con 4600-6

368 256 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364



363

362

361

360


44500
Mt. Con



Mt. Con 4600-5

267 268 269 270 271 272 273 274 275 276 277 278 368

367
366
365
364
363
362
361
360






MT. CON 4600-5

MT. CON
5000
4600
MT. CON
MTN CON

267 268 269 270 271 272 273 274 275 276 277 278 368

367
366
365
364
363
362
361
360



MT. CON = 4600-3

MT CON
5000
4600
MT CON
4600

267 268 269 270 271 272 273 274 275 276 277 278 368

367

366

365


364

363

362

361

360



MT. CON
 5000
 4600

MT. CON 4600-2

368 256 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364

363

362

361

360

4 4500
Mt. Con
M.M. Co. vol 8

CRASH
M-4222

Mt. Con 4600-1

BAGGER

DINITE

DINITE

BAGGER

BAGGER

1

BAGGER

Alum

BAGGER

CRASH

CRASH
BAGGER
BAGGER


BAGGER

CRASH

BAGGER

CRASH






MT. CON
4600
S. Mt. Colo


267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360



MT. CON 4800-16


MT CON 5100
MT CON 5000
4800 A
MTN CON 5



MT. CON 4800
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100


267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360




MT. CON 4800-13

MT CON 4800
MT CON 4800
MT CON 4800



MT. CON 4600
 25
 19 MT. CON 4600



MT. CON 4800-12

MT CON 4800
 MT CON 4800
 MT CON 4800

368 256 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364

363

362

361

360

MT. CON 4600
13 MI. CON

3600

3600

3600

3600

3600

3600

3600

3600

256 257 258 259 260 261 262 263 264 265 266 267

368

367

366

365

364

363

362

361

360

MT. CON 4600
13 MI. CON 8

CABERK

CABERK

BACONK

BACONK


BACONK

BACONK

BACONK

BACONK

MT. CON 4800-9




MT. CON 4600
MT. CON 4800

255 257 258 259 260 261 262 263 264 265 266 267

368
367
366
365
364
363
362
361
360

MT. CON 4600
MT. CON 4800




MT. CON 4800-6

255 257 258 259 260 261 262 263 264 265 266 267

368
367
366
365
364
363
362
361
360


MT. CON 4600
22-2
MT. CON 4600



MT. CON 4800-4

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360



MT CON
5000

MT CON
5000




4800
MTN CON

MT.CON 4800-4

256 257 258 259 260 261 262 263 264 265 266 267

368
367
366
365
364
363
362
361
360

MT. CON 4600
19 MI CON 18



MT. CON 4800-3

255 257 258 259 260 261 262 263 264 265 266 267

368
367
366
365
364
363
362
361
360

MT. CON 4600
22 Mt Con


CASPER
7-10-70

BARTON

AMERIC

CASPER
CARTER
CARTER
BARTON
AMERIC
AMERIC

MT. CON 4800-2



MT. CON
4600
MT. CON

MT. CON 4800-1

368	255	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												

4800
MTN CON
Q-25

MT. CON
4600
MT. CON


267	268	269	270	271	272	273	274	275	276	277	278
											368
											367
											366
											365
											364
											363
											362
											361
											360

BLANK

MT CON
5100
MT CON
5000

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360



● 50778P
● 50778P42

MT CON
5100
MT CON
5000

	256	257	258	259	260	261	262	263	264	265	266	267
368												
367												
366												
365												
364												
363												
362												
361												
360												

4800
MTN CON
4600
MT. CON
MT. CON
4600

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360

● 50718C
● 50718E#2

AS017I
AS011I
SOPAL

AS031I
AS032I
70

AS041I
SOPAL

AS048I

AS021I

SOPAL

SOPAL


SOPAL

AS041I


AS041I

MT. CON 5000-15

MT CON
5100
MT CON
5000



4800 P
MT. CON
4600
MT. CON



267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360

MT CON
5100
MT CON
5000

● 8072AC
● 8072AC-1

scene

scene

scene


A504IR

A504IR


A504IR

A504IR

MT CON 5000-14



4800
MT CON
4600



256

257

258

259

260

261

262

263

264

265

266

267

368

367

366

365

364

363

362

361

360

4800
MT CON
4600

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360


MT CON
R 5100
MT CON
R 5000

● PITTS
● PITTS

SOBR

ASOHL


ASOHL



267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360

MT CON
5100
MT CON
5000



368	256	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												

4800
 MT CON
 4600
 MT CON

256 257 258 259 260 261 262 263 264 265 266 267


368												
367												
366												
365												
364												
363												
362												
361												
360												

4800
MT CON
4600

267 268 269 270 271 272 273 274 275 276 277 278


368
367
366
365
364
363
362
361
360

MT CON
R 5100
MT CON
R 5000



MT. CON 5000-9

256 257 258 259 260 261 262 263 264 265 266 267




4800
MT CON
4600

257 26 269 270 27 272 273 274 275 276 277 278


368
367
366
365
364
363
362
361
350

MT CON
5100
MT CON
5000




MT. CON 5000-8

4800
MT. CON
4600



256 257 258 259 260 261 262 263 264 265 266




4800
MT. CON
4600

	256	257	258	259	260	261	262	263	264	265	266	267
368												
367												
366												
365												
364												
363												
362												
361												
360												

4800
 P
 M.M.C
 N
 MT CON
 4400

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360



MT. CON 5000-4

MT CON 5100

MT CON 5000

368	256	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												



4800
P
MT. CON
N
400

	256	257	258	259	260	261	262	263	264	265	266	267
368												
367												
366												
365												
364												
363												
362												
361												
360												

4800
 P
 MT CON
 N
 400

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360



MT. CON 5000-2

MT CON
5100
MT CON
5000



	256	257	258	259	260	261	262	263	264	265	266
368											
367											
366											
365											
364											
363											
362											
361											
360											

4800
P
MT CON
N
4600

268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360

MT CON 5100
MT CON 5000



AS0171B



MT. CON 5000-1

256	257	258	259	260	261	262	263	264	265	266	267
368											
367											
366											
365											
364											
363											
362											
361											
360											

4800 P
 MT. CON
 4600
 15 M₂ C

368	256	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												

4800
 18 MT. C. M. MT. CON
 5000

267	268	269	270	271	272	273	274	275	276	277	278
											368
											367
											366
											365
											364
											363
											362
											361
											360

Mt. Con
 8 5100

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

Mt. CON
P 5100

see page 2

see page 2

see page 2

MT. CON 5100-17

368

367

366

365

364

363

362

361

360

4800 P
MT. CO. MT. CON
2608 5000

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360

MT. CON
P 5100

268
12
14

270
12
14
16

273
12
14

368	256	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												

4800
MT. C. MT. CON
5000

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

Handwritten scribble

Handwritten scribble

Handwritten scribble

Mt. CON
P 5100

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

MT. CON
P 5100

100
100
100
100

100
100
100

100
100
100

100
100
100

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

Mt. CON
P 5100

100
100
100

100
100
100

100
100
100

100
100
100

MT. CON 5100-12

256

257

258

259

260

261

262

263

264

265

266

267

368

367

366

365

364

363

362

361

360

4800
MT. C. 4000
MT. C. 4000
MT. C. 4000

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

MT CON
P 5100

100
100
100
100

100
100
100

100
100
100

100
100

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

MT. CON
P 5100

100'

100'

100'

100'

100'

100'

MT. CON 5100-7

256 368	257	258	259	260	261	262	263	264	265	266	267
367											
366											
365											
364											
363											
362											
361											
360											

4800
MT. CON
5000

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

MT CON
P 5100

12

12

12

12

12

267	268	269	270	271	272	273	274	275	276	277	278
											368
											367
											366
											365
											364
											363
											362
											361
											360

W 100' 100'

W 100' 100'

W 100' 100'

W 100' 100'

W 100' 100'

MT. CON
P 5100

256
368 257 258 259 260 261 262 263 264 265 266 267

367

366

365

364

363

362

361

360

4800
MT. COY. MT. CON
N 4600 5000

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

MT. CON
P 5100

MT. CON
P 5100

MT. CON
P 5100

MT. CON
P 5100

MT. CON
P 5100

MT. CON 5100-6

256 257 258 259 260 261 262 263 264 265 266 267

368											
367											
366											
365											
364											
363											
362											
361											
360											

4800
MT. COY. MT. CON
4600 5000

267	268	269	270	271	272	273	274	275	276	277	278
											368
											367
											366
											365
											364
											363
											362
											361
											360

11/19/60
11/19/60

11/19/60
11/19/60

11/19/60
11/19/60

10/22/60
10/22/60

25
Mr. Con
8 5100

368	256	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												

4800
MT. COY. MT. CON
4600 5000

267

268

269

270

271

272

273

274

275

276

277

278

368

367

366

365

364

363

362

361

360

Mr. Con
8 5100

1000
1100

1000
1100

1000
1100

1000
1100

MT. CON 5100-4

267 268 269 270 271 272 273 274 275 276 277 278

368
367
366
365
364
363
362
361
360

Mr. Con
8 5100

2
3
4
5
6
7
8
9
10
11
12

11
10
9
8
7
6
5
4
3
2
1

Part 10 For which ANSLEY HAS MADE

M.T.C. 5/16-2

267	268	269	270	271	272	273	274	275	276	277	278
											368 1/8
											367
											366 1/2
											365 1/2
											364 1/2
											363
											362
											361
											360

N
S 106
S 178

MT 5100-2

MT 5100-2

Mr. Con
5100

267	268	269	270	271	272	273	274	275	276	277	278
											368.8
											367
											366
											365
											364
											363
											362
											361
											360


$\frac{M}{EI}$
 $\frac{170}{107}$

52 MT CON
 of 5100

HT-201-5100-1

368	256	257	258	259	260	261	262	263	264	265	266	267
367												
366												
365												
364												
363												
362												
361												
360												


4800 P
 MT. C. MT. CON
 4600 5000



50 Mt. Con
 @ 5100

MT. CON 5100 SILL

256 257 258 259 260 261 262 263 264 265 266 267



5 MT CON
2 5100

5 MT CON
2 5000

4800



4800

2

MT. CEN. MT. CON.

2 MT. CON.



