

2

CRAY ROCK

42

VOL.  
8

R  
27






27  
MT. CON

27  
4400  
MT. CON

27  
4500  
MT. CON

27  
MT. CON






27  
MT. CON

27  
4400  
MT. CON

27  
4500  
MT. CON

27  
MT. CON





289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368

4400-18

27  
4400  
Mt. CON  
27  
4500  
Mt. CON  
27  
4400  
Mt. CON






289	290	291	292	293	294	295	296	297	298	299	300	376
												375
												374
												373
												372
												371
												370
												369
												368

PERSONAL

WATSON

27 MT CON  
 4400  
 27 MT CON  
 4500  
 27 MT CON  
 4400  
 27 MT CON





Mt. Con 4400-16

289	290	291	292	293	294	295	296	297	298	299	300	376
										① 11505E		
												375
												374
												373
												372
												371
												370
												369
												368

YARLOW

27 MT CON  
 4400  
 27 MT CON  
 4500  
 27 MT CON  
 4400  
 27 MT CON






289	290	291	292	293	294	295	296	297	298	299	300
										376	
											375
											374
											373
											372
											371
											370
											369
											368


376  
 376

373  
 373  
 K2860-We

27  
 MT CON  
 4400  
 27  
 MT CON  
 4500  
 27  
 MT CON  
 4400



Mt. Con 4400-14




298 375

KASCOVE

27  
MT. CON  
4400  
R-27  
MT. CON  
4500  
R-27  
MT. CON  
4400  
R-27  
MT. CON





MT. CON 4400-13

289	290	291	292	293	294	295	296	297	298	299	300	376
												375
												374
												373
												372
												371
												370
												369
												368


EVAN, B.C.

V-1350-11

27 MT CON  
 4400  
 27 MT CON  
 4500  
 27 MT CON  
 4400








27  
MT. CON  
4400  
R-27  
4400  
MT. CON  
4500  
R-27  
4500  
MT. CON  
4600  
MT. CON  
4700







27  
MT CON  
4400  
R-27  
4400  
MT CON  
27  
4500  
MT CON  
27  
MT CON  
4400



278 279 280 281 282 283 284 285 286 287 288 289




MT. CON 4400-10



27  
MT CON  
4400  
R-27  
4400  
MT CON  
R-27  
4500  
MT CON  
R-27  
MT CON  
4400







27  
MT CON  
4400  
R-27  
4400  
MT CON  
4500  
R-27  
4500  
MT CON  
27  
MT CON  
4400



Mt. Con 4400-8

289	290	291	292	293	294	295	296	297	298	299	300
										4400-8	376
										4400-8	375
											374
											373
									4400-8		372
											371
											370
											369
											368


4400-8

4400-8


4400-8

27 MT CON 4400-8  
 27 MT CON 4400-8  
 27 MT CON 4500-8  
 27 MT CON 4400-8





MT. CON 4400-7




MARK

KARROW


ENERGY  
PUSH

27 MT CON  
4400  
R-27 4400 MT CON  
R-27 4500 MT CON  
27 MT CON  
27 MT CON




MT. CON 4400-G






27 MT CON  
 27 MT CON  
 27 4400 MT CON  
 27 4500 MT CON  
 27 MT CON






27 MT CON  
 4400  
 27 4400  
 27 MT CON  
 4500  
 27 MT CON  
 27 MT CON  
 4400







27 MT CON  
 4400  
 27 4400  
 27 4400  
 27 4500  
 27 4500  
 27 MT CON  
 4500  
 27 MT CON  
 4500



MT CON 4400-3






376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

4407R

4408L

4409R

4410R




27 MT CON  
 4400  
 R-27  
 4400  
 27 MT CON  
 4500  
 27 MT CON  
 4400





MT. CON 4400-1



27 MT CON  
 4400  
 R-27  
 4400  
 4500  
 27 MT CON  
 27 MT CON  
 4400








MT. CON 4400 SILL

27 MT. CON 4400 R-27  
 27 MT. CON 4500 R-27  
 27 MT. CON 4400 R-27





289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368

27 MT. CON  
4500  
27 MT. CON





289 290 291 292 293 294 295 296 297 298 299 300

376

EVETT RC  
FRYBEE

375

374

373

372

371

370

369

368

D-3300K  
4-25-11-11

D-3300K  
4-25-11-11

376

Mt. Con 4500-16

27  
MT CON  
4500  
27  
MT CON  
4500  
27  
MT CON  
4500

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

4400  
 R-27  
 Vol. B  
 MT. CON


Mt. Con 4500-15


 CRONK




289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368



27 MT. CON  
4500  
27 MT. CON  
27 MT. CON






27 MT. CON  
4500  
27 MT. CON  
27 MT. CON



376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Vol. B  
4400  
MT CON

80 C-1000R



27 MT. CON  
4500  
27 MT. CON

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
VOL. B  
4400  
MT CON

MT CON 4500-12

2-4507K



289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

① EYETTER  
② FASHRC

FASHRC  
DASHRC

③ CASIOR

4500-12  
CASIOR

Mt. Con 4500-12



27  
4500  
Mt. Con  
27  
4500  
Mt. Con

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. 8  
4400  
MT CON

4500A

289	290	291	292	293	294	295	296	297	298	299	300
											376
											375
											374
											373
											372
											371
											370
											369
											368

 EYE T.M.C.  
 P. 1924 B.R.

45131  
 45131  
 45131

45131  
 45131

DISTANCE  
 100 YDS

CENTER  
 100 YDS

27  
 MT. CON  
 4500  
 27  
 MT. CON  
 4500  
 27  
 MT. CON  
 4500



278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											


R-27  
Vol. B  
4400  
MT. CON



278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. 8  
4400  
Mt. Con






MT. CON 4500-9

368

27 MT. CON  
4500  
27 MT. CON  
27 MT. CON  
4500

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. B  
4400  
MT CON



289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

BARBOZ

DANIEL

CARRON

ESTAR

PIETER


Mt. Con 4500-8

27  
MT. CON  
4500  
27  
MT. CON



378	278	279	280	281	282	283	284	285	286	287	288	289
376												
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Vol. 8  
4400  
MT CON




Mt. CON 4500-7

27 Mt. CON  
4500  
27 Mt. CON

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. 8  
4400  
Mt. Con






Mt. CON 4500-6

27  
MT. CON  
4500  
27  
MT. CON  
4500

378	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Vol. 8  
4400  
MT CON



Mt. Con 4500-5

368

370

371

372

373

374

375


376

4500  
 R-27  
 MT CON  
 4500  
 R-27  
 MT CON  
 4500



278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. 8  
4400  
Mt. Con



Mt. CON 4500-4


27  
4500  
Mt. CON  
27  
4500  
Mt. CON

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. B  
4400  
Mt. Con

Mt. Con 4500-3






MT. CON  
4500  
MT. CON  
4500

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											


R-27  
Vol. B  
4400  
MT CON



27  
MT. CON  
4500







MT. CON 4500-1

27  
MT. CON  
4500  
27  
MT. CON  
4500

131278 279 280 281 282 283 284 285 286 287 288 289

376

375

374

373

372

371

370

369

368

Mt. Con 4500 SILL


B-577  
S-2825 64

R-27  
Vol. B  
4400  
Mt. Con




289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368




MT. CON. 4500-SILL

27 MT. CON. 4500  
27 MT. CON. 4500  
27 MT. CON. 4500




4400  
YR 27  
L B  
MT. CON

4500  
YR 27  
L B  
MT. CON



BACOTE



MT. CON  
4600

MT. CON  
4600



	278	279	280	281	282	283	284	285	286	287	288	289
376												
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Yol B  
4400  
Mt. Con

R-27  
Yol B  
4500  
Mt. Con

289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368



27  
MT. CON  
4600

27  
MT. CON  
4600

376 <sup>3</sup>	279	280	281	282	283	284	285	285	287	288	289
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
YOL B  
4400  
MT. CON

R-27  
YOL B  
4500  
MT. CON



289	290	291	292	293	294	295	296	297	298	299	300
											376
											375
											374
											373
											372
											371
											370
											369
											368

4457M

4457M

MT. CON  
4800

MT. CON  
4000

376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

4500 R  
YOL B  
MT. CON

4400 R  
YOL B  
MT. CON

0  
1  
2

289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368

14572

Dusty P

MT. CON 4600  
MT. CON 4600



376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Vol. B  
4400  
Mt. Con

R-27  
Vol. B  
4500  
Mt. Con

289 290 291 292 293 294 295 296 297 298 299 300

376

375

374

373

372

371

370

369

368

Basstyr

7-22-27

MT. CON  
4800

MT. CON  
4000

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

4400  
R-27  
YOL B  
MT. CON

4500  
R-27  
YOL B  
MT. CON



289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

BASELINE

2000  
2001  
2002

MT. CON  
4600

MT. CON  
4600

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
YOL B  
4400  
MT. CON

R-27  
YOL B  
4500  
MT. CON

289

290

291

292

293

294

295

296

297

298

299

300  
376

375

374

373

372

371

370

369

368

BASELINE

sketch

MT. CON  
4800

MT. CON  
4600



376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
YOL B  
4400  
MT. CON

R-27  
YOL B  
4500  
MT. CON

289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

BASIS

292

27  
MT. CON  
4800

27  
MT. CON  
4600

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
Vol. B  
4400  
MT. CON

R-27  
Vol. B  
4500  
MT. CON



289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368

292  
293

27  
MT. CON  
4800

27  
MT. CON  
4600

278	279	280	281	282	283	284	285	286	287	288	289
376											
375											
374											
373											
372											
371											
370											
369											
368											

R-27  
YOL B  
4400  
MT. CON

R-27  
YOL B  
4500  
MT. CON

289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

CAGII-I

CAGII-I

DMSIC

2-27  
MT. CON  
4600

2-27  
MT. CON  
4600



376	279	280	281	282	283	284	285	286	287	288	289
375											
374											
373											
372											
371											
370											
369											
368											

MT. CON 4600-7

4500 R-27 YOL B MT. CON  
 4400 R-27 YOL B MT. CON

289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

R-27  
MT. CON  
4800

R-27  
MT. CON  
4600

10-10-27  
10-10-27

MT. CON 4600-7

100 200 300 400 500 600 700 800 900 1000


R-27  
Vol. 8  
4400  
Mt. Con

R-27  
Vol. 8  
4500  
Mt. Con

4500 Mt. Con



239 230 231 232 233 234 235 236 237 238 239 300

											376
											375
											374
											373
											372
											371
											370
											369
											368

*Handwritten mark*

R-27  
MT. CON  
4800

R-27  
MT. CON  
4000



289

290

291

292

293

294

295

296

297

298

299

300

376

375

374

373

372

371

370

369

368

0432K

MT. CON  
4800

MT. CON  
4000



R-27  
Vol. B  
4400  
MT. CON

R-27  
Vol. B  
4500  
MT. CON


239 240 241 242 243 244 245 246 247 248 249 300

376  
375  
374  
373  
372  
371  
370  
369  
368


Handwritten mark and stamp in the cell at row 369, column 242.

MT CON  
4600

MT CON  
4600





239	240	291	232	293	294	295	296	297	298	299	300
											376
											375
											374
											373
											372
											371
											370
											369
											368

23  
P. 2322

R-27  
MT. CON  
4600

R-27  
MT. CON  
4600



289	287	291	292	293	294	295	296	297	298	299	300
											376
											375
											374
											373
											372
											371
											370
											369
											368

289  
287

R-27  
MT. CON  
4600

R-27  
MT. CON  
4600

R-27  
Vol. B  
4400  
MT. CON

R-27  
Vol. B  
4500  
MT. CON




289 290 291 292 293 294 295 296 297 298 299 300

											376
											375
											374
											373
											372
											371
											370
											369
											368

 DMSR

 DMSR  
DMSR

R-27  
MT. CON  
4600

R-27  
MT. CON  
4600

278	279	280	281	282	283	284	285	286	287	288	289
375											
375											
374											
373											
372											
371											
370											
369											
368											


MT. CON 4600 SILL

4400  
R-27  
YOL. B  
MT. CON

4500  
R-27  
YOL. B  
MT. CON

289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368



MT. CON 4600 SILL

R-27  
MT. CON  
4600

R-27  
MT. CON  
4600

	278	279	280	281	282	283	284	285	286	287	288	289
376												
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Vol. B  
4400  
MT. CON

R-27  
Vol. B  
4500  
MT. CON

R-27  
4600  
MT. CON



289	290	291	292	293	294	295	296	297	298	299	300
											376
											375
											374
											373
											372
											371
											370
											369
											368

MT CON  
4800

376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												

MT. CON 4800 SILL

R-27  
Yol. B  
4400  
MT. CON

R-27  
Yol. B  
4500  
MT. CON

R-27  
4600  
MT. CON

289 290 291 292 293 294 295 296 297 298 299 300

376  
375  
374  
373  
372  
371  
370  
369  
368

R-27  
MT. CON  
4800



MT. CON 4800 SILL

378	278	279	280	281	282	283	284	285	286	287	288	289
376												
375												
374												
373												
372												
371												
370												
369												
368												

R-27  
Yol. B  
4400  
Mt. Con

R-27  
Yol. B  
4500  
Mt. Con

R-27  
Yol. B  
4600  
Mt. Con

R-27  
Yol. B  
4700  
Mt. Con





378	278	279	280	281	282	283	284	285	286	287	288	289
376												
375												
374												
373												
372												
371												
370												
369												
368												

MT. CON  
424800

R-27  
Yol. B

4400  
MT. CON

R-27  
Yol. B

4500  
MT. CON

MT. CON  
4600



376	278	279	280	281	282	283	284	285	286	287	288	289
375												
374												
373												
372												
371												
370												
369												
368												


MT. CON  
421800

4400  
MT. CON

4500  
MT. CON

MT. CON  
4600





MT. CON  
424800


R-27  
YAL. B.

4400  
MT. CON

R-27  
YAL. B.

4500  
MT. CON

MT. CON  
4600



MT. CON  
4600

4500  
MT. CON

R-21  
YAL.

4400  
MT. CON

R-21  
YAL.

4300  
MT. CON



