

GEOLOGIC MAP OF THE PETERSON LAKE 7.5' QUADRANGLE,

the-south normal fault in the southern part of the quadrangle. A southeast. The granodiorite pluton is elongate in a NE direction

- Gaschnig, R.M., 2011, The Beaverhead Divide fault on the Idaho-Montana border—Cretaceous contraction, Eocene extension, but not a terrane boundary: Geological Society Coppinger, Walter, 1974, Stratigraphy and structural study of Belt
 - east-central Idaho: Oxford, Ohio, Miami University, Ph.D.
- central Idaho: University Park, Pennsylvania, The Pennsyl-
- terminology: Transactions of the American Geophysical

MBMG Open-File 606; Plate 1 of 1 Geologic Map of the Peterson Lake 7.5' Quadrangle, 2011



- the Badger Spring Gulch 7.5' quadrangle, Lemhi County, Idaho: Montana Bureau of Mines and Geology Open-File
- Lemhi County, Idaho, and Beaverhead County, Montana:
- dan, M.D., 2009, Geologic map of the Goldstone Pass 7.5' County, Montana: Montana Bureau of Mines and Geology
- Beaverhead County, Montana: Montana Bureau of Mines and Geology Open-File Report MBMG 598, scale 1:24,000.
- and cross-stratification in sedimentary rocks: Geological
- megashear, Montana, Idaho, and Washington—an intraplate crustal-scale shear zone recurrently active since the Mesoproterozoic: U.S. Geological Survey Open-File Report
- rangle, Idaho: U.S. Geological Survey Bulletin 854, 135 p.
- central Idaho: U.S. Geological Survey Bulletin 889-A, 23 p. Ruppel, E.T., O'Neill, J.M., and Lopez, D.A., 1993, Geologic map of
- (Belt?) metasedimentary and associated rocks, Goldstone Mountain quadrangle, Lemhi County, Idaho, and Beaver-
- Alluvial facies, paleocurrents, and source of the Mesoprosouthwestern Montana, Chapter B, in J.M. O'Neill, and R.G. tana and adjacent Idaho–Lower Tertiary Anaconda Conglomerate and Mesoproterozoic Gunsight Formation: U.S.
- Belt Supergroup, Montana, Idaho and Washington, in S.M. Rocks of Western Montana and Adjacent Areas: Montana